


CITY OF MANTECA

2013 PUBLIC FACILITIES IMPLEMENTATION PLAN UPDATE



February 26, 2013



CITY OF MANTECA

**2013 PUBLIC FACILITIES
IMPLEMENTATION PLAN UPDATE**

February 26, 2013

Prepared by:

**City of Manteca
1001 West Center Street
Manteca, CA 95337**

**Geoff Richman
Financial Consultant
P.O. Box 1307
Mill Valley, CA. 94942**

**NV5, Inc.
Mapping & Word Processing
1215 West Center Street, Suite 201
Manteca, CA 95337**

TABLE OF CONTENTS

1. INTRODUCTION AND EXECUTIVE SUMMARY.....	1
A. Purpose of the PFIP	1
B. Summary of Fees	1
2. PROGRAM METHODOLOGY.....	5
A. Impact Fee Model	5
B. Program Goals	5
C. Program Financing.....	5
D. Facility Implementation	6
E. Program Administration.....	6
1. City Department Responsibilities	6
2. Payment of Fees	7
3. Expenditures and Reimbursements.....	7
4. Fee Adjustments.....	8
5. Program Updates.....	8
6. City Administrative Costs.....	9
F. Existing Liabilities	9
G. Nexus Requirements	9
H. Other Policies.....	9
1. Construction Timing	9
2. Out-of-Sequence Construction.....	10
3. Business License Tax.....	10
4. Existing Deficiencies	10
3. DEVELOPMENT ASSUMPTIONS	11
A. Population	11
B. Land Use Categories and Density Assumptions.....	11
C. Vacant land Inventory.....	13
4. PFIP FEE METHODOLOGY	15
A. Dwelling Unit Equivalent Factors	15
B. Cost Estimates.....	15
C. Mark-up Assumptions.....	15
D. Land Acquisition Assumptions.....	16
5. WATER	17
A. Background.....	17
B. Facilities and Costs	18
1. Groundwater Supply Facilities	18
2. Water Treatment Facilities.....	18
3. Costs.....	18
C. Dwelling Unit Equivalents.....	18
D. Fee Methodology	19
1. Non-PFIP Fees	19

2.	PFIP Fees	20
E.	Fee Schedule	20
F.	Construction Responsibilities	20
1.	City Responsibilities	21
2.	Developer Responsibilities	21
3.	Construction Sequencing	22
6.	STORM DRAINAGE.....	23
A.	Background	23
B.	Facilities and Costs	23
C.	Dwelling Unit Equivalents.....	24
D.	Fee Methodology	24
E.	Fee Schedule	24
F.	Construction Responsibilities	26
1.	City Responsibilities	26
2.	Developer Responsibilities	27
7.	SEWER COLLECTION.....	29
A.	Background	29
B.	Facilities and Costs	29
C.	Dwelling Unit Equivalents.....	29
1.	Residential.....	30
2.	Commercial.....	30
3.	Industrial	30
4.	Equivalent Dwelling Units.....	30
D.	Fee Methodology	31
1.	Non-PFIP and PFIP Fees	31
2.	Facility Costs	32
E.	Fee Schedule	32
F.	Construction Responsibilities	33
1.	City Responsibilities	33
2.	Developer Responsibilities	34
3.	Construction Sequencing	34
8.	TRANSPORTATION.....	35
9.	REFERENCES	36

APPENDICES

Appendix A	Vacant Land Inventory
Appendix B	Water Data
Appendix C	Storm Drainage Data
Appendix D	Sewer Collection Data
Appendix E	Transportation Data
Appendix F	City PFIP Administration Costs
Appendix G	Master Reimbursement List

LIST OF TABLES

Table E-1	Summary of PFIP Water Fees, \$/Meter Size	2
Table E-2	Summary of PFIP Residential Storm Drainage Fees	2
Table E-3	Summary of PFIP MDR, HDR, and Non-Residential Storm Drainage Fees	3
Table E-4	Summary of PFIP Residential Sewer Collection System Fees	3
Table E-5	Summary of PFIP Non-Residential Sewer Collection System Fees	4
Table 3-1	Summary of Undeveloped Acreage within the City of Manteca	14
Table 4-1	Land Acquisition by Dedication or Purchase	16
Table 5-1	Water Meter Hydraulic Capacity/EDU Factors	19
Table 5-2	Summary of PFIP Water Fees by Meter Size.....	20
Table 6-1	Storm Drainage C Factors and EDU Factors	24
Table 6-2	Projected Storm Drainage Project Costs by Zone	25
Table 6-3	Summary of PFIP Residential Storm Drainage Fees	25
Table 6-4	Summary of PFIP MDR, HDR, and Non-Residential Storm Drainage Fees.....	25
Table 7-1	Summary of Wastewater EDU Factors	31
Table 7-2	Projected Sewer Project Costs by Zone.....	33
Table 7-3	Summary of PFIP Residential Sewer Collection System Fees	33
Table 7-4	Summary of PFIP Non-Residential Sewer Collection System Fees	33

LIST OF PLATES

Plate A-1	Vacant Land
Plate B-1	Water Financing Zone
Plate C-1	Storm Drainage Financing Zones
Plate D-1	Wastewater Collection Financing Zones

1. INTRODUCTION AND EXECUTIVE SUMMARY

The City of Manteca (City) developed the Public Facilities Implementation Plan (PFIP) as the implementing program for specific public infrastructure policies identified in the City of Manteca General Plan 2023 Policy Document (General Plan) [1]. Originally adopted in 1993, the purpose of the PFIP is to ensure that certain public infrastructure needed for growth – namely water, wastewater, storm drainage, and transportation facilities – were adequate as the City grew and developed in accordance with its General Plan. Another purpose of the PFIP was to ensure that infrastructure was constructed in a timely manner and financed in a way that equitably divided financial responsibility in proportion to the demands placed on the new facilities.

The PFIP was originally developed as a reimbursement model program that utilized developers' resources to fund and construct improvements. Developers were reimbursed either in fee credits or with funds as they were accumulated from the imposed fees. This method was successful in some aspects, but often required that developers fund substantial improvements with limited assurance of timely repayment. This situation ultimately presented significant barriers to growth.

The City desires to update the PFIP such that these barriers are reduced. To do so, the PFIP will be revised to utilize a development impact fee model wherein the City assumes some responsibility for funding and constructing major facilities, while the developers – in most cases – simply pay their proportionate share to reimburse the City for the cost to finance and construct the infrastructure.

Only water, storm drainage, and sewer collection facilities and their respective fees are updated in this 2013 Public Facilities Implementation Plan Update (2013 PFIP). Additional time is needed to prepare the transportation program element due to the complexity of the transportation facilities. The program and fees for transportation adopted previously remain in effect until updated in the future.

A. PURPOSE OF THE PFIP

The City's purpose of the PFIP is to:

- 1) Develop impact fees that are cost-competitive within the region.
- 2) Promote orderly growth in accordance with the General Plan.
- 3) Develop and maintain an impact fee program that is flexible and responsive to changing market conditions.

B. SUMMARY OF FEES

PFIP Water Fees were originally charged on a per unit basis for residential users and on a net acreage basis for other commercial and industrial users. For the 2013 PFIP, Water Fees are all based on the size of meter installed, regardless of development type, and are consistent

throughout the entire City. PFIP Water Fees are comprised of a Groundwater Supply Fee, a Peaking Facility Fee, and a Distribution System Fee. Table E-1 summarizes all three fees together. Chapter 5 provides details on each individual fee.

**Table E-1
Summary of PFIP Water Fees, \$/Meter Size**

Meter Size, in	PFIP Water Fee, \$
5/8	3,083
1	5,149
1½	10,267
2	16,433
3	30,831
4	51,395
6	102,759
8	164,420

PFIP fees for storm drainage are based on the land use type and the zone in which the parcel is located (see Table E-2 and Table E-3). This is the same methodology utilized in the original PFIP. However, for the 2013 PFIP, some of the original zones which are largely built out have been consolidated to simplify accounting and administration.

**Table E-2
Summary of PFIP Residential Storm Drainage Fees**

Land Use	Fee Per Dwelling Unit, \$				
	Zone 30	Zone 32	Zone 34	Zone 36	Zone 39
VLDR	118	1,428	898	2,188	899
LDR	47	571	359	875	359

Table E-3
Summary of PFIP MDR, HDR, and Non-Residential Storm Drainage Fees

Land Use	Fee Per Acre, \$				
	Zone 30	Zone 32	Zone 34	Zone 36	Zone 39
MDR	394	4,760	2,994	7,295	2,995
HDR	512	6,189	3,892	9,483	3,894
BP	709	8,569	5,389	13,131	5,391
CMU	709	8,569	5,389	13,131	5,391
GC	709	8,569	5,389	13,131	5,391
NC	709	8,569	5,389	13,131	5,391
HI	551	6,665	4,191	10,213	4,193
LI	551	6,665	4,191	10,213	4,193
BIP	551	6,665	4,191	10,213	4,193

PFIP Sewer Fees recover the cost of providing the collection system to convey sewage generated in the City to the City's treatment plant. The original PFIP divided the City into five financing zones, and charged per unit for residential users and per 1,000 square feet (sf) for non-residential users. In addition, some infrastructure that was amended into the PFIP was charged as a separate overlaying zone. In the 2013 PFIP, some of these financing zones have been consolidated. In addition, the basis for sewer fees has been changed. The 2013 PFIP will charge per unit for residential users but non-residential users will be charged upon usage, which will be estimated based on each development's characteristics (see Table E-4 and Table E-5). This is expected to more accurately relate the cost of infrastructure to the actual demand.

Table E-4
Summary of PFIP Residential Sewer Collection System Fees

Land Use	Fee Per Dwelling Unit, \$				
	Zone 21	Zone 22	Zone 24	Zone 25	Zone 26
VLDR	277	1,714	1,306	310	1,067
LDR	277	1,714	1,306	310	1,067
MDR	203	1,254	955	226	780
HDR	203	1,254	955	226	780

Table E-5
Summary of PFIP Non-Residential Sewer Collection System Fees

Land Use	\$ per Gallon per Day				
	Zone 21	Zone 22	Zone 24	Zone 25	Zone 26
All Non-Residential	1.73	10.72	8.16	1.94	6.67

2. PROGRAM METHODOLOGY

This chapter provides an overview of the program methodology. Topics addressed include: 1) impact fee model; 2) program goals; 3) program financing; 4) program administration; 5) existing liabilities; 6) nexus requirements; and 7) other policies.

A. IMPACT FEE MODEL

The PFIP has been revised to use a development impact fee model approach wherein the City assumes some responsibility for funding and constructing major facilities, while the developers – in most cases – simply pay their proportionate share to reimburse the City for the cost to finance and construct the infrastructure.

B. PROGRAM GOALS

The City's primary goals for the PFIP programs are to:

- 1) Develop impact fees that are cost-competitive within the region.
- 2) Promote orderly growth in accordance with the General Plan.
- 3) Develop and maintain an impact fee program that is flexible and responsive to changing market conditions.

C. PROGRAM FINANCING

Development impact fees are one source of financing that is within the control of the City to provide facilities to serve new development. The City also intends to participate aggressively in Regional, State, and Federal programs that may become available to finance public improvements. However, the City is not prepared to depend on these sources to pay for public improvement projects that are essential to growth and development. Thus to fund the required infrastructure, the City plans to utilize the following sources:

- Development Impact Fees paid pursuant to the PFIP will be used to finance the expansion of facilities that are necessary to accommodate the demand for new capacity.
- Inter-Fund Borrowing, such as borrowing between PFIP Funds when practical or employing other comparable devices, may be used if development impact fees, considered alone, are insufficient to build public improvements when required. When PFIP Inter-Fund Borrowing is used, the receiving Fund shall construct facilities in the similar geographic area from which the lending Fund collected the fees. For example, if an inter-fund loan from PFIP Sewer was proposed to construct a PFIP Storm Zone 36 facility, the PFIP Sewer funds need to come from Sewer Zone 24, where both zones are similar geographically.

- Outside Financing, such as bonds or other public financing instruments may be utilized to fund larger facilities in advance of the fees that will retire any such accumulated debt. Any such funding will require participation by the beneficiaries of the facilities to secure repayment.

D. FACILITY IMPLEMENTATION

The sequence of implementing projects for increased capacity and expanded public water, sewer, and storm improvements in the City is as follows:

- General Plan and accompanying growth management policies and ordinances are adopted.
- Facilities master plans are prepared or updated and conceptual engineering is developed to identify the new facilities/capacity that will be needed to serve the expected growth.
- These new facilities are then programmed into the City's 5-year Capital Improvement Program (CIP), which is updated annually and approved by the City Council at time of fiscal year budget adoption. The Public Works Department programs capital projects into the CIP annually during the City's fiscal year budget preparation process. Developers interested in submitting projects to be included in the CIP shall submit their projects to the Public Works Department by January 31 of each year unless Council authorizes projects to be added at a later date.

E. PROGRAM ADMINISTRATION

1. City Department Responsibilities

Finance Department

- A. Administer fund accounting and monitor financial status of all PFIP funds.
- B. Document, track, and provide annual reporting on all loans and reimbursement obligations.
- C. Calculate annual fee updates based upon Engineering News Record Construction Cost Index (ENRCCI).
- D. Prepare Annual AB1600 Fee Mitigation Report.
- E. Determine when funds are available for reimbursement and issue reimbursements.

Community Development Department

- A. Condition projects.
- B. Determine fee credits to be issued, and track disposition of fee credits.
- C. Collect fees as described below.

Public Works

- A. Update Master Plans as scheduled.

- B. Program PFIP projects in City CIP.
- C. Manage PFIP capital projects through planning, design, and construction.
- D. Provide technical assistance to Finance and Community Development as needed.

2. Payment of Fees

Payment of PFIP fees is due at the time of issuance of building permit unless authorized by Council action to be paid at a different time. Payment of PFIP fees at occupancy of a residential or commercial facility is allowed only with City Council approval.

Fees are collected by the Community Development Department. An individual acting under the supervision of the Community Development Director accomplishes all of the following:

- Classifies the building permit application in terms of the development impact fee zone or zones that are applicable.
- Selects the development impact fee rates that are applicable.
- Calculates the total development impact fee that is due with the building permit application.
- Collects the land use description and other utility data for this particular application to monitor land use data within the City.
- Transmits the fee information to the Finance Department and the utility data to Public Works for appropriate accounting.

Receipts and disbursements of the proceeds of development impact fees are managed in accordance with the normal system of accounting and financial controls. In addition, the Community Development Director or his/her designee has a responsibility to verify that the appropriate development impact fee account has been identified when funds for each development project are encumbered. This review responsibility is particularly important in those instances where fees at different levels are collected in different geographic financing zones. Accounts are maintained contemporaneously on a transaction-by-transaction basis to assure that a proper accounting can be made and that there is a visible, understandable audit trail for the use of all development impact fees.

3. Expenditures and Reimbursements

Funds will be used to pay PFIP costs in the following priority:

1. City administration costs
2. New capital projects
3. Repayment of existing liabilities

To insure that the program has sufficient funds to be maintained appropriately, each fund will maintain a minimum balance of \$200,000. No expenditures will be made or programed when the fund balance is below that amount. Costs of City administration for the program will be deducted from the funds annually. Project-specific costs will be charged to the individual projects, which are programed and budgeted in the CIP.

When funds exceed the reserve amount, priority will be given to capital projects needed to provide facilities included in the master plans and CIP.

If no projects are currently planned, any funding in excess of the designated reserves shall be used to repay existing liabilities. Reimbursement for existing liabilities shall be prioritized based upon date of Council acceptance or approval, regardless of whether the liability is a public improvement or inter-fund debt. The City shall develop and publish a master reimbursement list which will be provided with the Transportation element addendum to this document.

Reimbursement for improvements will be based upon actual project costs, which shall be set by a minimum of three publicly opened, sealed bids. Sealed bids shall be submitted to and opened by the City Clerk or their designee. In the absence of public bids, the cost may be determined by the City Engineer; but in those cases, the cost for reimbursement shall be limited to the amount programed within the PFIP at the time the project is constructed. Also, financing costs are not a reimbursable cost.

4. Fee Adjustments

The City will review the PFIP and each development impact fee resolution annually. Any material change in development impact fees as a result of the monitoring and review of the program would be implemented as soon as feasible. The PFIP is subject to revision due to several factors. These factors include the difficulty of forecasting the rate and location of development in the City, variations in the cost of construction of public improvements, and variation in the standards that may be applicable in the future to the design of public improvements.

Annual fee and reimbursement rate adjustments will be calculated in October of each year and will take effect in January of the following year for every year. The automatic inflation adjustment to the fees will be based upon the preceding July 20-Cities ENRCCI. The City will advise the local representative of the Building Industry Association regarding fee increases, as well as those developers that have submitted written requests for such noticing.

Should the ENRCCI be revised or discontinued, the Director of Finance will use the revised index or a comparable index, as approved by the City Council, for determining fluctuations in the cost of development.

5. Program Updates

The City intends to assure that the General Plan and the various master plans remain responsive to City policy and changing development conditions. The City intends to review both the General Plan and the facility master plans on a ten-year cycle. Policies in an amended General

Plan will be incorporated into all of the City facilities master plans and into each impact fee Ordinance and Resolution. In addition, the City plans to perform a major update to the PFIP program document every five years.

Information about changes in the availability of Regional/State/Federal grants (principal forgiveness) and loans or other sources of revenue will be incorporated into the fee programs during the annual review.

6. City Administrative Costs

Appendix F provides a breakdown of the costs needed to perform the various program updates and the cost for personnel needed to administer PFIP program. Upon program adoption, the personnel costs shown in Appendix F will be used for the first three years of the program, after which the City will compare actual personnel costs to programmed costs and will make adjustments at that time, if any.

F. EXISTING LIABILITIES

As a result of development activity over the years, the various PFIP funds have accumulated cash balances, inter-fund borrowing obligations, and other liabilities. The PFIP fund balances as of July 1, 2012, were used in the fee calculations as each zone's current fund balance and obligations. The master reimbursement list referenced earlier in this section will show that the existing liabilities in the various PFIP funds are comprised of developer-constructed facilities that serve future growth.

G. NEXUS REQUIREMENTS

The PFIP incorporates CIPs and/or utilities master plans for water, sewer, and storm drainage as defined in Government Code §66002. The costs and fees that are provided in this document are based, in part, upon findings and conclusions provided in the utilities master plans. This PFIP document and the various utility master plans jointly identify the use to which the fee will be put and determine the reasonable relationship between a benefit, the fee's use, and the type of development project on which the fee is imposed.

H. OTHER POLICIES

1. Construction Timing

Facilities will be constructed as demand occurs and are not rigidly tied to the calendar. Thus, growth forecasts are not needed nor used in the PFIP. Accordingly, the timing of facility construction in this program is self-correcting in that:

- A slowdown in development produces a slower rate at which additional capacity will be demanded, as well as a slower rate at which development impact fees will be collected. Consequently, the construction of facilities would slow down.

- As development increases, then development impact fees will be available sooner to construct improvements for which demand has occurred sooner than expected. An excessive rate of development that is beyond that which could be accommodated because of lead time required to construct projects is unlikely because at some point, the limitations in the City Growth Management Ordinance (Chapter 18.04 of the City Municipal Code) would become effective.

2. Out-of-Sequence Construction

In some cases, development projects maybe proposed that are not proximate to existing infrastructure. In such cases, developers may advance the construction of needed PFIP infrastructure at their cost. Infrastructure included in the PFIP that is installed by developers will be eligible for reimbursement as outlined in Section 3 above. Fee credits for advance construction will only be allowed for the specific type of infrastructure constructed. For example, if a sewer facility is built, only PFIP sewer credits will be allowed, no water or storm drain fees will be credited. Interfund transfers of fee credits will not be allowed.

3. Business License Tax

A business license tax was established in conjunction with the 1993 PFIP, which is still in effect. The City will transfer 50 percent of the revenue from this tax to the PFIP Sewer Fund to help lower the PFIP Sewer Fee. Accordingly, this revenue stream was included in the PFIP Sewer Fee calculations in Appendix D.

4. Existing Deficiencies

If a facility improvement will remedy an existing deficiency and provide new capacity, then the cost of that improvement will be allocated between new development and other financing sources as follows:

- The least-costly improvement to remedy the existing deficiency, in the absence of further growth, is identified. This cost is assumed to be the responsibility of existing funding sources and is not financed from development impact fees. The least costly improvement must be feasible and realistic.
- The cost to provide capacity for additional growth (i.e., the difference between the full cost of the improvement and the cost of the least costly improvement to remedy existing deficiencies) is financed from development impact fees.

3. DEVELOPMENT ASSUMPTIONS

A summary of development assumptions is presented in this chapter including: 1) population; 2) land use categories and density assumptions; and 3) vacant land inventory.

A. POPULATION

Since incorporating in 1918, Manteca has been a rapidly growing city. The City experienced its highest average annual growth rate (AAGR) between 1950 and 1960 when the population grew at an AAGR of 8.04 percent. The population continued to grow at an average rate between 5 and 6 percent over the following decades (1960 to 1990) [2]. The population growth slowed slightly between 1990 and 2000, and then increased through 2008. With the recent economic downturn, population growth again slowed; but unlike other communities in the area, development in the City continued at a greater rate than surrounding cities. As of January 1, 2011, the City had a population of 68,410.

The total land use proposed in the City General Plan will accommodate a population of 94,000 to 144,000 [2]. This projection is derived through assumptions relating to residential density, the average density, the efficiency of the land use, vacancy factors, and a market reserve for each residential land use type.

Through the Growth Management Ordinance the City regulates the number of housing units approved each year according to a growth management system that reflects the availability of infrastructure, the City's ability to provide public services, housing needs, and employment growth. The Growth Management Ordinance limits population growth to 3.9 percent and development allocations are determined on a point rating system.

B. LAND USE CATEGORIES AND DENSITY ASSUMPTIONS

The land use categories are tailored to meet the specific needs of the City. Economic development opportunities, housing needs, and environmental characteristics are among the factors that determine the appropriate land use categories. The land use categories are implemented through the Manteca Municipal Code, Zoning Ordinance.

The following are abbreviated descriptions of the various land use categories and include a description of the density assumption for each category along with the floor area ratio (FAR) as outlined in the General Plan. FAR is the ratio of building square footage to the site area. In case of conflict, the descriptions contained in the adopted General Plan shall prevail.

Very Low Density Residential (VLDR) – less than 2 dwelling units per gross acre. The VLDR land use category provides for residences on larger lots and small, quasi-agricultural activities, including raising and boarding livestock.

Low Density Residential (LDR) – 2.1 to 8.0 dwelling units per gross acre. The LDR land use will establish a mix of dwelling unit types and character determined by the individual site and

market conditions. The density range allows substantial flexibility in selecting dwelling unit types and parcel configurations to suit particular site conditions and housing needs.

Medium Density Residential (MDR) – 8.1 to 15 dwelling units per gross acre. The MDR use includes single family homes and smaller scale multi-family developments, including garden apartments, townhouses, and cluster housing.

High Density Residential (HDR) – 15.1 to 25 dwelling units per acre. The HDR use includes multi-family apartment style housing.

Commercial Mixed Use (CMU) – 15.1 to 25 dwelling units per acre; FAR 1.0; maximum site coverage 50 percent. The CMU designation accommodates a variety of purposes including high density residential, employment centers, retail commercial, and professional offices. The mixed use concept would integrate a mix of compatible uses on a single site.

Business Industrial Park (BIP) – FAR 1.0; maximum site coverage 50 percent. The BIP designation is intended to provide sites for large uses in an office park environment that would include multi-tenant buildings.

Business Professional (BP) – FAR 1.5; maximum site coverage 50 percent. The BP land use is intended primarily for office and related uses in a landscaped site. The use category is specifically intended for the frontage along State Route (SR) 120 and along other major roads and in the Central Business District (CBD). This designation provides for professional and administrative offices, medical and dental clinics, laboratories, financial institutions, public and quasi-public uses, and similar and compatible uses.

Neighborhood Commercial (NC) – FAR 2.0 in the CBD and 0.6 outside the CBD. This designation provides for locally oriented retail and service uses; offices, restaurants, and service stations; public and quasi-public uses; and similar and compatible uses.

General Commercial (GC) – FAR 0.6; maximum site coverage 40 percent. The GC category provides for wholesale, warehousing, and heavy commercial uses; highway oriented commercial retail; public and quasi-public uses; and similar and compatible uses. The designation is also intended to accommodate visitor commercial, lodging, commercial recreation, and public gathering facilities such as amphitheaters or public gardens.

Light Industrial (LI) – FAR 0.7; maximum site coverage 60 percent. The LI designation provides for industrial parks, warehouses, distribution centers, light manufacturing, public and quasi-public uses and similar, compatible uses.

Heavy Industrial (HI) – FAR 0.5; maximum site coverage 40 percent. The HI designation provides for manufacturing, processing, assembling, research, wholesale, and storage uses; trucking terminals, railroad and freight stations; and similar activities that require separation from residential uses due to noise, vibration, or other characteristics incompatible with residential use.

Agriculture (AG) – The AG designation provides for agricultural uses (such as vineyards, orchards, and row crops), single family homes directly related to the agricultural use of the property, limited industrial uses directly related to agriculture, and similar and compatible uses.

Open Space (OS) – The OS category encompasses habitat, open space, natural areas, lands of special status species, wetlands, and riparian areas. These areas are set aside as permanent open space preserves to protect environmentally sensitive areas.

Park (P) – This designation provides for neighborhood, community, and regional parks; golf courses; and other outdoor recreational facilities within urban development.

Public/Quasi-Public (P/QP) – This designation provides for government-owned facilities, public and private schools, institutions, civic uses and public utilities, and quasi-public uses such as hospitals and churches.

Urban Reserve (UR) – UR is applied to many properties around the perimeter of the City. In most instances the UR category overlies another land use category. In these instances the underlying land use is the intended use when the land is ultimately annexed to the City. UR with no underlying land use indicates that the City intends to expand in the time horizon beyond the current General Plan and that it is premature to indicate a specific future land use in this area.

C. VACANT LAND INVENTORY

The City calculated the amount of vacant land remaining within the General Plan boundary and the results are summarized in Table 3-1. Plate A-1 in Appendix A provides a graphic depiction.

**Table 3-1
Summary of Undeveloped Acreage
within the City of Manteca**

Land Use Type	Undeveloped Acreage
AG (LDR)	3,692.80
BIP	179.98
BP	1.00
CMU	229.44
GC	291.56
HDR	127.26
HI	485.00
LDR	3,401.44
LI	750.37
MDR	218.69
NC	56.16
OS	444.76
P	94.76
PQP	216.02
UR	1,709.12
UR-AG (LDR)	1,613.75
UR-BIP	408.70
UR-CMU	415.14
UR-GC	40.43
UR-LDR	1,381.35
UR-LI	114.45
UR-MDR	19.74
UR-P	67.52
UR-PQP	11.65
UR-VLDR	746.63
VLDR	659.51
Total	17,377.24

4. PFIP FEE METHODOLOGY

The PFIP fee methodology is presented in this chapter including: 1) dwelling unit equivalent (DUE) factors; 2) cost estimates; 3) mark-up assumptions; and 4) land acquisition assumptions.

A. DWELLING UNIT EQUIVALENT FACTORS

DUEs are units of measure that standardize land use categories (residential, commercial, industrial, etc.). A low-density, single-family residential unit has a DUE factor of 1.0. The DUE factor for other land use types is developed based on the anticipated demand for each land use category relative to the demand for a low-density, single-family residential unit. Additional information regarding the derivation of DUEs for water, sewer, and storm drainage can be found in the 2005 Water Master Plan, 2013 Storm Drainage Master Plan, and 2012 Wastewater Collection System Master Plan.

DUEs are commonly utilized to calculate the probable demand that a user places on facilities by assignment of an equivalency factor. DUEs are measured differently for each component in the PFIP. The term DUE may be used interchangeably with EDU, equivalent dwelling unit.

B. COST ESTIMATES

The facility master plans identify the public facilities to serve the forecasted development. Results of the master plan studies specify the sizes of facilities to serve the demand and represent a preliminary design level of accuracy. Opinions of probable construction cost are conceptual and are based upon information available at the time of preparation.

Appurtenant facilities have been accounted for within the unit prices. Opinions of probable cost are based upon current cost data for similar construction in the region, contractors, and suppliers. Opinions of cost are referenced to ENRCCI (9324) as of July 2012. Costs will be adjusted for inflation based on changes in the ENRCCI.

Estimates of environmental review cost have been included in the cost of administering the PFIP.

C. MARK-UP ASSUMPTIONS

Contingency factors have been applied to the opinions of probable construction cost. Contingencies represent a combination of factors allowing for additional costs associated with unknown site conditions, extra quantities of materials, etc. Ancillary project costs (design engineering including surveying, geotechnical, and other specialties; plan check; construction management; surveying; and inspection) have also been estimated and are set in correlation with the anticipated level of complexity of the various types of projects.

Design services would typically include preliminary studies; plans, specifications, and estimates; and construction consultation. Based on industry accepted standards of practice and cost estimating guides, these percentages are reasonable for the type and magnitude of projects in the PFIP and are consistent with engineering practice.

D. LAND ACQUISITION ASSUMPTIONS

For the purposes of preparing the financial plan, land will be assumed to be either dedicated or purchased in accordance with Table 4-1.

**Table 4-1
Land Acquisition by Dedication or Purchase**

Infrastructure Category	Facilities for Which Lands are to be Dedicated (No cost to the City)	Facilities for Which Lands are to be Purchased (Cost born by PFIP)
Water	<ul style="list-style-type: none"> • Pipelines • Well sites (within parks) 	<ul style="list-style-type: none"> • Treatment plant • Storage tank sites • Well sites (not in parks)
Storm Drainage	<ul style="list-style-type: none"> • Detention basins serving individual and combined projects • Easements serving individual projects • Pipelines • Canals serving individual projects 	
Sewer	<ul style="list-style-type: none"> • Pipelines • Trunks 	<ul style="list-style-type: none"> • Treatment plant and disposal areas • Lift Stations

5. WATER

This chapter provides PFIP information as it pertains to the City water system. A summary of the information is as follows: 1) background; 2) facilities and costs; 3) dwelling unit equivalents; 4) fee methodology; 5) fee schedule; and 6) construction responsibilities.

A. BACKGROUND

The *City of Manteca 2005 Water Master Plan* (2005 WMP) presents the results of an evaluation of the water supply and distribution system. The planning document provides a tool for addressing changing regulations, aging infrastructure, and anticipated growth in planning future improvements to its water system through the year 2035. The purpose of the 2005 WMP is to provide a comprehensive planning document to guide improvement and expansion of the City water system to meet current and future needs for a safe, reliable water supply and distribution system.

Key objectives of the 2005 WMP affecting future development projects include the following:

- Provide a strategic approach to comply with the new maximum contaminant level (MCL) for arsenic, which took effect in January 2006, through the addition of a combination of treatment and storage facilities.
- Evaluate alternatives and plan water system improvements to facilitate delivery of the South San Joaquin Irrigation District (SSJID) surface water supply. Alternatives addressed a groundwater supply and storage plan to meet a conjunctive groundwater/surface water use approach by the City without exceeding the aquifer's safe yield.
- Update the City's existing water distribution system hydraulic model and conduct hydraulic modeling to determine distribution system expansion requirements.
- Prepare a CIP for the water system that identifies projects for completion by the City. This CIP included improvements needed for the existing system (funded by ratepayers) and growth driven improvements funded by this program.

The 2005 WMP reviews water demand required to provide for the 2023 General Plan lands within the Primary Urban Service Area (PUSA) through buildout. Historically, the City has utilized separate planning documents for Zone 11 (2002 Water Master Plan) and Zone 12 (1993 PFIP) to define the required capital improvements. The earlier area contained in Zone 11 included the existing developed portions of Manteca with growth generally limited to infill development and redevelopment. The earlier area contained in Zone 12 included the lightly developed lands that could be characterized as agricultural areas with significant urban development potential. However, because the City water system operates as a single system, the City uses one planning document for all areas, which have been merged into a single zone designated as Zone 12. See Plate B-1 in Appendix B for a depiction of Zone 12.

B. FACILITIES AND COSTS

New water supply comes from groundwater and surface water. Groundwater supply is limited to safe yield limits and surface water supply is limited to capacity available at the South San Joaquin Irrigation District (SSJID) water plant. Service is provided by a network of water wells, storage tanks, and distribution pipelines. The water system for current and future users will be operated as a single pressure zone.

1. Groundwater Supply Facilities

New wells will be located as needed to supplement existing groundwater and surface water supplies, optimize distribution, and maintain minimum pressures during peak conditions throughout the system.

2. Water Treatment Facilities

With the increase in regulations, treatment of groundwater has become a standard expense, even on newer wells. The City anticipates having to provide treatment for a significant portion of new wells. Currently the City provides treatment on 76.5 percent of the City wells for arsenic, volatile organic compounds, or other constituents. The hope or expectation that new wells would require less treatment is offset by the potential for additional regulation that could increase water treatment requirements. Hence, for planning purposes, the PFIP anticipates funding treatment at the same ratio.

3. Costs

Costs for major water infrastructure (wells and tanks) are based upon the capacity provided by each water facility, the users' anticipated demand determined by the size of meter, and current engineer's opinion of probable costs. The need for water mains is based upon the pipe system outlined in the 2005 WMP and updated as needed to serve the areas included in the City General Plan.

C. DWELLING UNIT EQUIVALENTS

All PFIP water fees will be charged based upon the meter size installed. A standard residential water meter (less than 1-inch) is the standard meter for a single family residence or single EDU and is considered an EDU factor of 1.0. Larger meters and their respective hydraulic capacity/EDU factor are shown in Table 5-1.

Table 5-1
Water Meter Hydraulic Capacity/EDU Factors

Meter Size, in	Hydraulic Capacity/ EDU Factor
5/8	1.00
1	1.67
1½	3.33
2	5.33
3	10.00
4	16.67
6	33.33
8	53.33

D. FEE METHODOLOGY

The City has established a fee structure that allocates costs to construct water infrastructure related to new development. There are two types of fees assessed, non-PFIP fees which have been adopted by separate City resolutions and PFIP fees which are adopted in connection with this document. Brief descriptions of what are included in the fees are provided. Descriptions of the non-PFIP fees are provided for informational purposes only. Because these fees are adopted by separate City resolution, policies related to these fees including fee adjustments are identified in other City documents.

1. Non-PFIP Fees

Meter Installation Fee

The Meter Installation Fee recovers the City’s cost to install new water meters. The fee includes the cost of the meter, meter box, pipe fittings, labor, and equipment charges.

Surface Water Debt Fee

The Surface Water Debt Fee is development’s proportionate share of the capitalized costs of the surface water treatment system and transmission system.

Surface Water Capital Fee

The Surface Water Capital Fee is development’s proportionate share of ongoing capital improvement projects to improve, upgrade, and rehabilitate the surface water treatment system and transmission system.

2. PFIP Fees

Groundwater Supply Fee

The Groundwater Supply Fee recovers the cost of new well construction required to supply water to new development. The costs include: environmental fees; test wells; well drilling, casing and development; consulting services; electrical service charges; and water treatment systems.

Peaking Facility Fee

The Peaking Facility Fee recovers the cost to construct water storage and booster pumping facilities to provide peaking demand and fire flows for new development. The costs include: environmental fees; site acquisition; consulting services; electrical service charges; and construction of tanks and booster pumping facilities.

Distribution System Fee

The Distribution System Fee will reimburse developers for the cost of installing and oversizing public water mains installed in the public right of way.

E. FEE SCHEDULE

The PFIP fees described above combine to establish the PFIP Water Fee. Table 5-2 summarizes the fees by meter size. The tables in Appendix B identify the costs and calculations associated with the PFIP fees.

**Table 5-2
Summary of PFIP Water Fees by Meter Size**

Meter Size, in	Groundwater Supply Fee, \$	Peaking Facility Fee, \$	Distribution System Fee, \$	PFIP Water Fee, \$
5/8	968	1,489	626	3,083
1	1,616	2,487	1,046	5,149
1½	3,223	4,958	2,085	10,267
2	5,159	7,936	3,337	16,433
3	9,680	14,890	6,261	30,831
4	16,136	24,822	10,437	51,395
6	32,262	49,628	20,869	102,759
8	51,621	79,408	33,391	164,420

F. CONSTRUCTION RESPONSIBILITIES

The City and developer have responsibilities for construction of water facilities as follows:

1. City Responsibilities

As funds are available, the City will construct all wells and storage tanks. The City may also install some water transmission and/or distribution mains needed for looping or redundancy.

2. Developer Responsibilities

The developer will be responsible for construction of the distribution system and dedication of well and tank sites as described below.

Distribution System

Water mains will be installed by developers as outlined in the 2005 WMP on a typical one-half mile grid spacing. All development projects that construct streets on this grid will be responsible for installing a minimum 12-inch water main with associated appurtenances (valves, hydrants, etc.).

Developers that install 12-inch diameter water mains on the main one-mile grid will be entitled to fee credits and/or reimbursement at the rates provided in Appendix B.

All in-tract water mains on the “Interior Grid,” which are spaced roughly on the half-mile grid, shall be 12-inch diameter and will be credited and/or reimbursed based upon the rates provided in Appendix B for “oversizing” of water mains from an 8-inch to 12-inch.

In locations where the City requires larger water mains (16-inch to 18-inch diameter) to be installed on the Main Grid to provide efficient movement and distribution of water through the City system, the installer will be credited and/or reimbursed at the amount per foot shown in Table B-7 in Appendix B. Actual location of large mains shall be as directed by the City.

The timing of reimbursements is contingent on the availability of funds for such purpose, based on order of project acceptance. No reimbursements will be made when the distribution fund balance is less than \$200,000.

Well and Tank Sites

To provide sufficient opportunity for placement of productive groundwater facilities or wells, the City will require the dedication of a suitable well site within every quarter section. All projects that include the development of more than 40 acres within any given quarter section shall offer for dedication a suitable well site for exclusive use of the installation of a water well and any needed treatment facilities, unless a suitable well site has already been proven for that quarter section.

Prior to the dedication of the well site, the developer shall provide access and permission to the City to complete an exploratory well or test well. If the test well is successful, the offer of dedication will be accepted. If the test well is not successful, the developer shall provide an alternate site at an agreed-upon location for a second test well.

A suitable well site shall be at least 5,000 sf and shall be fenced appropriately.

Well sites that are part of parks or other multi use facilities, for which other non-water credit is being taken, shall not be subject to any credit or reimbursement. Developers that dedicate a sole use well site will be entitled to fee credits and or reimbursement for the value of the well site as established in Appendix B. Should the value of the dedicated site exceed the Groundwater Supply Fee obligation, the developer shall be entitled to reimbursement as outlined in Chapter 2. Reimbursements are contingent on the availability of funds for such purpose. Funding for well site reimbursement will come solely from the Groundwater Supply Fee Fund.

Tank sites will be acquired and or dedicated as needed to support development. Developers that dedicate tank sites will be entitled to fee credits or reimbursement for the value of the tank site, as established in Appendix B. Should the value of the dedicated site exceed the Peaking Facility Fee obligation, the developer shall be entitled to reimbursement as outlined in Chapter 2. The timing of reimbursements is contingent on the availability of funds for such purpose. Funding for tank site reimbursement will come solely from the Peaking Facility Fee Fund.

Reimbursement for dedicated tank sites will only be made after the tanks are installed and functional. Other tank sites may be acquired by the City or may be a consideration of project approval.

All well and tank sites shall be as approved by the Director of Public Works and may be combined with other public facility sites such as parks or landscape strips where feasible.

3. Construction Sequencing

While pressurized systems can be installed virtually anywhere, the City generally plans to install new supply and peaking facilities in a concentric manner starting at the perimeter of the existing water system. This is to provide for redundancy and to ensure that fire flow demands are met for additions to the water system.

6. STORM DRAINAGE

This chapter provides PFIP information as it pertains to the City storm drainage system. A summary of the information is as follows: 1) background; 2) facilities and costs; 3) dwelling unit equivalents; 4) fee methodology; 5) fee schedule; and 6) construction responsibilities.

A. BACKGROUND

The 2013 Storm Drain Master Plan (2013 SDMP) provides a comprehensive planning document to guide improvement and expansion of the City's storm drainage system to meet current and future needs in a safe and reliable manner while maintaining compliance with all applicable regulations.

Key objectives of the 2013 SDMP affecting future development include the following:

- Compliance with the provisions of the SSJID/City Master Drainage Agreement.
- Compliance with stormwater quality provisions in the State Water Resources Control Board's stormwater NPDES permit for Phase II cities.
- Adherence to the drainage methodology.

The 2013 SDMP evaluates drainage from the General Plan lands within the PUSA through build out. Five planning zones have been identified to define the capital improvements needed to serve future growth: Zones 30, 32, 34, 36 and 39. With the exception of drainage Zone 39, all drainage zones are located in the SSJID service area. See Plate C-1 in Appendix C for a depiction of the drainage zones.

B. FACILITIES AND COSTS

Stormwater control is essential to protect the City from flooding during storm events. This protection is provided through a series of storm drains, detention basins, and pumping facilities. For zones within the SSJID service area, the City has an agreement with SSJID to allow discharge into the SSJID facilities. SSJID facilities then convey the runoff to the San Joaquin River. While areas of the City currently are allowed to have direct discharge to SSJID facilities, new development cannot discharge direct to the SSJID facilities and attenuation facilities must be installed to control the runoff. For development in Zone 39, which is outside the SSJID service area, separate facilities will be constructed to convey the runoff to one regional pump station that will discharge into Walthall Slough.

Development is required to install attenuation facilities for control of storm runoff within their area of influence. Through the collection of PFIP fees, the City will construct the necessary pipelines and pump stations to convey stormwater to the appropriate discharge points.

The total storm drainage CIP construction cost is approximately \$16,309,170 of which \$2,754,291 is the responsibility of SSJID and not included in the PFIP fee calculation.

C. DWELLING UNIT EQUIVALENTS

Allocation of costs is based on run-off coefficients (“C” factor). C factors represent the ratio of the rate of runoff to the rate of rainfall at average rainfall intensity. Table 6-1 provides a summary of the C factor and EDU factor by land use type. The 2013 SDMP provides additional details regarding how the C factors for the various land uses are derived and the corresponding EDU factors.

**Table 6-1
Storm Drainage C Factors and EDU Factors**

Land Use	Unit	C Factor per Unit	EDU Factor
VLDR	DU	0.1500	2.50
LDR	DU	0.0600	1.00
MDR	DU	0.0556	0.93
HDR	DU	0.0382	0.64
AG (LDR)	DU	0.0600	1.00
BP	acre	0.9000	15.00
CMU	acre	0.9000	15.00
GC	acre	0.9000	15.00
NC	acre	0.9000	15.00
HI	acre	0.7000	11.67
LI	acre	0.7000	11.67
BIP	acre	0.7000	11.67

D. FEE METHODOLOGY

Allocation of costs is based on run-off coefficients utilized per land use.

E. FEE SCHEDULE

The costs of facilities and the division of construction costs among the fee zones are summarized in Table 6-2. Table C-4 in Appendix C provides a breakdown of the projects and an allocation of projects costs to the individual zones.

Table 6-2
Projected Storm Drainage Project Costs by Zone

Parameter	Cost, \$
Zone 30	367,925
Zone 32	2,340,341
Zone 34	1,545,490
Zone 36	7,677,541
Zone 39	1,623,582
SSJID Costs ^a	2,754,291
Total Project Costs	16,309,170

^a Portion of project costs to be paid by SSJID based on the SSJID/City drainage agreement.

The PFIP Storm Drainage Fees are provided in Table 6-3 for residential land uses and Table 6-4 for non-residential land uses.

Table 6-3
Summary of PFIP Residential Storm Drainage Fees

Land Use	Fee Per Dwelling Unit, \$				
	Zone 30	Zone 32	Zone 34	Zone 36	Zone 39
VLDR	118	1,428	898	2,188	899
LDR	47	571	359	875	359

Table 6-4
Summary of PFIP MDR, HDR, and Non-Residential Storm Drainage Fees

Land Use	Fee Per Acre, \$				
	Zone 30	Zone 32	Zone 34	Zone 36	Zone 39
MDR	394	4,760	2,994	7,295	2,995
HDR	512	6,189	3,892	9,483	3,894
BP	709	8,569	5,389	13,131	5,391
CMU	709	8,569	5,389	13,131	5,391
GC	709	8,569	5,389	13,131	5,391
NC	709	8,569	5,389	13,131	5,391
HI	551	6,665	4,191	10,213	4,193
LI	551	6,665	4,191	10,213	4,193
BIP	551	6,665	4,191	10,213	4,193

F. CONSTRUCTION RESPONSIBILITIES

The City and developer have responsibilities for construction of storm drainage facilities as follows:

1. City Responsibilities

City responsibilities are discussed below.

SSJID Drain Improvements

As funds are available, the City will construct a new pipeline to increase the capacity of Drain 5 to accommodate future flows. The Drain 5 improvement costs are included in the Zone 34 PFIP fee structure.

Zone 32 Conveyance Improvements

As funds are available, the City will construct a new pipeline to connect Lateral Rga to Drain 3 per the 2013 SDMP. The cost of this connector pipe is included in the Zone 32 PFIP fee structure.

Zone 36 Improvements

As funds are available, the City will construct a drainage pipeline in Woodward Avenue – known as the South Drain – to serve as the main stormwater conveyance facility for Zone 36. The City will also construct a pump station and force main – called the South Drain Pump Station and Force Main – to convey storm water from the South Drain Pipeline to the French Camp Outlet Canal (FCOC). In addition, the City will construct several junction structures to divert water from the dual use laterals to the South Drain. The cost of the South Drain, South Drain Pump Station and Force Main, and the junction structures are included in the Zone 36 PFIP fee structure.

Water Level Monitoring Stations

As funds are available, the City will construct water level monitoring facilities in the various PFIP zones and in the FCOC to monitor water elevations in real-time to prevent flooding caused by additional drainage flows. Each zone's proportionate share of the water level monitoring stations is included the various PFIP zone fees.

FCOC Culvert Crossing Improvements

As identified in the 2013 SDMP, several existing culvert crossings in the FCOC need improvement to accommodate additional drainage flows. The existing SSJID/City drainage agreement contains cost-sharing provisions regarding these culvert crossing improvements wherein both parties share equally in the costs. As funds are available, the City or SSJID will construct the culvert crossing improvements, and the City's 50 percent cost share for all FCOC

improvements needed for growth is included in the PFIP fee structure. The FCOC culvert crossing improvement costs are spread proportionately among the PFIP zones based upon the contribution of each zone.

2. Developer Responsibilities

Developer responsibilities are discussed below.

Local Drainage Management Facilities

Developers will install, at their expense, local drainage collection, attenuation, pumping, and conveyance facilities necessary to serve their development. This includes facilities needed to convey stormwater from development projects to the nearest SSJID dual-use lateral. It is also the responsibility of the developer to collect and convey drainage from arterial streets adjacent to their projects to the local attenuation facility.

While the City encourages regionalization of attenuation facilities, this effort is left to the developers to make arrangements amongst themselves. Should developers reach an arrangement for a regional attenuation facility, the City will support this effort by establishing and administering an area of benefit (AOB) for the regional facility. Costs for local collection facilities and local/regional attenuation facilities are not included in the PFIP program.

SSJID Lateral Improvements

SSJID laterals will be used to convey stormwater from the local/regional attenuation facilities to SSJID drains or the South Drain. While laterals are important conveyance facilities, all costs to replace and/or upsize the existing laterals are not included in the PFIP for the reasons described below.

SSJID laterals are found throughout the existing and undeveloped areas of the City; and virtually all existing laterals in the PFIP planning area are 42-inch diameter in size, which is the size needed to convey build-out storm flows at the 96-hour drainage rate. Also, SSJID requires new development projects that disturb their laterals to remove, realign, and replace the laterals, at the developer's expense, with at least the same diameter pipe as the existing lateral. Moreover, SSJID requires an increase in pipe diameter to the next standard pipe size (or more) to account for additional headloss created by any pipeline realignments. Because these are SSJID requirements, there are no replacement and/or upsizing costs in the PFIP.

The City does acknowledge the possibility that an existing SSJID lateral in the PFIP planning area may be less than 42-inch diameter. In the event that a lateral is found to be less than 42-inch diameter and should SSJID not require the replacement pipe to be at least a 42-inch pipe, the City will require the developer to upsize the pipe to 42-inch diameter. Should this situation occur, the developer will be reimbursed the incremental cost increase of a 42-inch pipe per the reimbursement policies in Chapter 2.

Zone 39 Improvements

Zone 39 is outside of the SSJID service area, and therefore SSJID facilities cannot be used to convey runoff from this area. As a result, the 2013 SDMP identifies a conveyance and disposal system separate from SSJID facilities for this zone. The storm infrastructure needed for Zone 39 will be funded and constructed by the developer first to develop in this zone. Because this infrastructure will be sized to serve all of Zone 39, the developer will be reimbursed the cost of these facilities, less their proportionate share of the cost, in accordance with the reimbursement policies in Chapter 2.

7. SEWER COLLECTION

This chapter provides PFIP information as it pertains to the City sewer collection system. A summary of the information is as follows: 1) background; 2) facilities and costs; 3) dwelling unit equivalents; 4) fee methodology; 5) fee schedule; and 6) construction responsibilities.

A. BACKGROUND

The 2012 Wastewater Collection System Master Plan Update (2012 WWCSMP) has been developed to ensure that the City's trunk sewer system can cost-effectively meet the demands of development goals adopted in the General Plan with appropriate consideration of construction costs and operation and maintenance issues.

As part of the 2012 WWCSMP, residential wastewater generation factors (WGFs) for future development were reduced to reflect upcoming water conservation legislation for residential development based on a generation factors study. The study also focused on reductions of industrial and general commercial WGFs to reflect historical water use data from local businesses.

The 2012 WWCSMP evaluates wastewater conveyance requirements through buildout based on the General Plan for lands within the PUSA. Five planning zones have been delineated to define the capital improvements need to serve future growth: Zones 21, 22, 24, 25, and 26. See Plate D-1 in Appendix D for a depiction of the sewer zones.

B. FACILITIES AND COSTS

The overall collection sewer strategy consists of a combination trunk sewer gravity collection system with pump or lift stations located along the alignment to convey wastewater to an influent pump station located at the City Wastewater Quality Control Facility (WQCF). The North Manteca Collection Strategy (NMCS) and South Manteca Collection Strategy (SMCS) will collect flow from areas where future growth is expected. The Central Manteca Collection Strategy (CMCS) will connect the existing collection system to the NMCS.

Construction of the NMCS, SMCS, and CMCS were grouped into potential projects for implementation in the future as part of the City CIP. The total wastewater collection system CIP construction cost is approximately \$57,917,602 of which \$6,272,214 is related to existing development and not included in the PFIP fee calculations.

C. DWELLING UNIT EQUIVALENTS

WGFs are utilized to calculate the anticipated wastewater flows generated by residential, commercial, and industrial development. The 2012 WWCSMP utilizes updated WGFs for future residential, commercial, and industrial land uses based on water conservation legislation for residential development and historical water use data from local businesses [3].

1. Residential

California approved the 2010 California Green Building Standards Code (CALGreen 2010) which requires new buildings in California to become more efficient by mandating new construction to meet minimum standards. CALGreen 2010 requires a 20 percent reduction in indoor water use from the 2008 Title 24 baseline. Other legislation and water conservation programs include the 20x2020 Water Conservation Plan, LEED, Senate Bill (SB) 407, and EPA WaterSense® Program, each of which have similar goals in water use reduction and efficiency to CALGreen.

With the new CALGreen legislation and other water conservation programs, indoor water use (and wastewater flows) is expected to decrease significantly for new residential development.

2. Commercial

WGFs for general commercial land uses in the City were updated in the 2012 WWCSMP after reviewing historical water usage data from existing commercial developments at Spreckels Park and Big League Dreams.

3. Industrial

WGFs for heavy and light industrial land uses in the City were updated in the 2012 WWCSMP after reviewing historical water usage data from existing industrial developments.

4. Equivalent Dwelling Units

Based on the WGFs by land use type, Table 7-1 provides the per unit EDU factor for each land use. The 2012 WWCSMP provides detail on the derivation of EDU factors for the various land uses.

**Table 7-1
Summary of Wastewater EDU Factors**

Land Use	Unit	EDU Factor
VLDR	DU	1.00
LDR	DU	1.00
MDR	DU	0.73
HDR	DU	0.73
BIP	acre	7.50
CMU	acre	15.46
GC	acre	4.69
HI	acre	6.25
LI	acre	6.25
NC	acre	7.00
P	acre	2.50
PQP	acre	2.66

D. FEE METHODOLOGY

This section describes the non-PFIP and PFIP fees and also briefly summarizes how project costs are developed.

1. Non-PFIP and PFIP Fees

The City has established a fee structure that allocates costs to construct sewer infrastructure related to new development. There are two types of fees assessed, non-PFIP fees which have been adopted by separate City resolutions and PFIP fees which are adopted in connection with this document. Brief descriptions of what are included in the fees are also provided. Descriptions of the non-PFIP fees are provided for informational purposes only. Because these fees are adopted by separate City resolution, policies related to these fees including fee adjustments are identified in other City documents.

Non-PFIP Fees

Wastewater Connection Fee: The WQCF Phase III Expansion Project corrected a number of existing deficiencies at the plant and thus benefited current rate payers. Based on an analysis of project costs and proposed improvements, the expansion costs were allocated between rate payers and new development.

The Wastewater Connection Fee was imposed in 2003 on new development during the Phase III Expansion in lieu of development impact fees. The Wastewater Connection Fee varies based on the timing of the development in relation to the Expansion Schedule(s) under construction.

WQCF Phase 3 Completion Fee: As part of a sewer rate study in 2007-2008, the connection fee schedule was re-evaluated to account for actual project costs. The study found that the Wastewater Connection Fee for the Phase III Expansion Project needed to be increased to repay the interfund loan obligations and the additional debt needed to complete the project. To comply with bonding requirements, a separate fee, called the WQCF Phase 3 Completion Fee, was implemented.

PFIP Fees

The Sewer Collection System Fee will fund the installation of pipelines and pump stations needed to serve future growth. The fee will also finance administration of the fund and advance planning for system and processing expansion.

2. Facility Costs

Facilities are sized to accommodate the projected flows along the route. The following method was used to estimate wastewater flow:

- Establish sewer shed boundaries to assign areas which will contribute flow to the trunk sewer.
- Obtain land use information for each shed from the General Plan land use diagram.
- Multiply land use areas within each shed by the corresponding WGF to obtain the projected average dry weather flow (ADWF) for each shed.
- Estimate peak wet weather flow (PWWF) by multiplying the projected ADWF with the peaking factor (PF). PWWF is the flow used to size trunk sewers, pump/lift stations, and force mains.

Unit costs were developed in the 2012 WWCSMP for sewers, manholes, isolation gates, and other elements identified as recommended improvements. Construction costs for the NMCS, SMCS, and CMCS were divided by fee zone for each link or element, where applicable. Costs for the zones contributing to each link were calculated based on ADWF.

E. FEE SCHEDULE

The costs of all the facilities included in the NMCS, SMCS, CMCS and the division of construction costs among the fee zones is summarized in Table 7-2. Table D-2 in Appendix D provides a breakdown of the projects and an allocation of projects costs to the individual zones.

**Table 7-2
Projected Sewer Project Costs by Zone**

Parameter	Cost, \$
Zone 21	2,198,517
Zone 22	17,973,626
Zone 24	26,992,527
Zone 25	2,786,963
Zone 26	1,693,755
City Costs ^a	6,272,214
Total Project Costs	57,917,602

^a Portion of project costs to be paid by the City to alleviate existing deficiencies.

The PFIP Sewer Collection System Fees for residential land uses are provided in Table 7-3. The fees for non-residential land uses are provided in Table 7-4

**Table 7-3
Summary of PFIP Residential Sewer Collection System Fees**

Land Use	Fee Per Dwelling Unit, \$				
	Zone 21	Zone 22	Zone 24	Zone 25	Zone 26
VLDR	277	1,714	1,306	310	1,067
LDR	277	1,714	1,306	310	1,067
MDR	203	1,254	955	226	780
HDR	203	1,254	955	226	780

**Table 7-4
Summary of PFIP Non-Residential Sewer Collection System Fees**

Land Use	\$ per Gallon per Day				
	Zone 21	Zone 22	Zone 24	Zone 25	Zone 26
All Non-Residential	1.73	10.72	8.16	1.94	6.67

F. CONSTRUCTION RESPONSIBILITIES

The City and developer have responsibilities for construction of sewer facilities as follows:

1. City Responsibilities

As funds are available, the City will construct the sewer facilities shown in the 2012 WWCSMP. If insufficient funds are available, developers may advance construction by providing funding

following City approval. In such an event, developers shall be entitled to reimbursement for costs in accordance with the PFIP reimbursement policy in Chapter 2.

2. Developer Responsibilities

Developers will install, at their expense, local collection and conveyance facilities necessary to serve their development. The costs of the local collection and conveyance facilities are not included in the PFIP program.

3. Construction Sequencing

The gravity-based sewer systems will be constructed concentrically outward beginning with the infrastructure with the lowest invert elevations and advancing in sequence to the infrastructure with the highest invert elevations. This approach will be used to ensure that newly installed facilities can be put into service immediately. For sewer facilities, the lowest elevation is the influent pump station wet well at the WQCF.

8. TRANSPORTATION

This section will be added by addendum when complete.


9. REFERENCES

- [1] *City of Manteca General Plan 2023 Policy Document*, Adopted October 6, 2003; Housing Element Amended June 15, 2010; Circulation Element Amended April 5, 2011
- [2] *Manteca General Plan Housing Element*, Mintier Harnish Planning Consultants, Adopted June 15, 2010
- [3] *Wastewater Generation Factors, Technical Memorandum – Draft*, Nolte Associates, Inc., November 2010.


Appendix A
Vacant Land Inventory

Table A-1
City of Manteca
PFIP Vacant Land Summary - Acres

Land Use	Vacant Land - Acres
AG (LDR)	3,692.80
BIP	179.98
BP	1.00
CMU	229.44
GC	291.56
HDR	127.26
HI	485.00
LDR	3,401.44
LI	750.37
MDR	218.69
NC	56.16
OS	444.76
P	94.76
PQP	216.02
UR	1,709.12
UR-AG (LDR)	1,613.75
UR-BIP	408.70
UR-CMU	415.14
UR-GC	40.43
UR-LDR	1,381.35
UR-LI	114.45
UR-MDR	19.74
UR-P	67.52
UR-PQP	11.65
UR-VLDR	746.63
VLDR	659.51
Total	17,377.24



LEGEND

 VACANT PARCEL




PLATE A-1

**CITY OF MANTECA 2013 PUBLIC FACILITIES
IMPLEMENTATION PLAN UPDATE**

VACANT LAND



Appendix B
Water Data

Table B-1
City of Manteca
PFIP Water Fee
Summary of PFIP Water Fees

Meter Size	Hydraulic Capacity Factor	PFIP Fees			Total
		Groundwater Supply Fee	Peaking Facility Fee	Distribution System Fee	
5/8"	1.00	\$968	\$1,489	\$626	\$3,083
1"	1.67	\$1,616	\$2,487	\$1,046	\$5,149
1 1/2"	3.33	\$3,223	\$4,958	\$2,085	\$10,267
2"	5.33	\$5,159	\$7,936	\$3,337	\$16,433
3"	10.00	\$9,680	\$14,890	\$6,261	\$30,831
4"	16.67	\$16,136	\$24,822	\$10,437	\$51,395
6"	33.33	\$32,262	\$49,628	\$20,869	\$102,759
8"	53.33	\$51,621	\$79,408	\$33,391	\$164,420

**Table B-1.1
City of Manteca
PFIP Water Fee
Water Fee Calculation Summary**

Description	Groundwater Supply Fee	Peaking Facility Fee	Distribution System Fee	Totals	Source/ Notes
<u>PROJECT CONSTRUCTION COSTS</u>					
Capital Improvements Plan					
Current Projects	-	-	-	-	
Future Projects	1,950,000	2,478,000	20,889,000	25,317,000	
Total Master Plan CIP (July 2010 \$)	1,950,000	2,478,000	20,889,000	25,317,000	
Soft Costs	293,000	273,000	-	566,000	See Note (4)
Soft Cost % of Construction Costs	15%	11%	0%	2%	
Inflation Adjustment to 2012 \$	121,737	149,308	1,133,731	1,404,776	See Note (12)
Total PFIP CIP	2,364,737	2,900,308	22,022,731	27,287,776	
% of PFIP CIP	8.7%	10.6%	80.7%	100.0%	
<u>FINANCING COSTS</u>					
Total PFIP CIP	802,823	984,648	1,869,166	3,656,637	See Note (3)
Total Estimated Financing Costs	802,823	984,648	1,869,166		
Finance Cost % of CIP	33.9%	33.9%	8.5%	0.0%	
<u>PFIP ADMINISTRATION COSTS</u>					
Program Updates and On-Going Admin	-	-	3,169,688	3,169,688	
City Administrative Costs - Variable	-	-	-	-	See Note (5),(6)
Total PFIP Admin Costs	-	-	3,169,688	3,169,688	
<u>FUND BALANCES</u>					
Net Fund Balance (Deficit)	(413,862)	(507,595)	(3,854,287)	(4,775,743)	6/30/12 Balance - Note (11)
Fees From Remaining PFIP Development	-	-	-	-	
Total Fund Balances	(413,862)	(507,595)	(3,854,287)	(4,775,743)	
Net Costs Funded From PFIP Fee	3,581,421	4,392,550	30,915,872	35,233,207	
Total EDUs Served	3,700	2,950	49,377		
Fee Per EDU	\$ 968	\$ 1,489	\$ 626		See Table B-1 for Fees Per Meter
	Note (1)		Note (6)		

Notes:

- (1) Groundwater fee based on the per EDU cost of one well.
- (2) Assumes entire cost of current projects funded by 30 year debt service with 2.0% interest.
- (3) Assumes 100% of PFIP CIP costs are financed for Supply and Peaking, 25% for Distribution, see Table B-6 for financing assumptions.
- (4) Soft cost estimates shown in Tables B2-B8.
- (5) City Administrative Costs - Variable assumed to be 0% of PFIP CIP costs.
- (6) Distribution System Fee based on estimate of the cost of infrastructure to serve buildout.
- (7) EDU = 660 gpd (200 per capita x 3.3 persons per household)
- (8) Groundwater supply costs detailed in Table B-2.
- (9) Peaking facility costs detailed in Table B-6.
- (10) Distribution facility costs detailed in Table B-7 and B-8.
- (11) Water fund balance spread to water fees based on CIP costs.
- (12) CIP costs based on July 2010 ENR (8844) were adjusted to July 2012 ENR (9324).

Table B-2
City of Manteca
PFIP Water Fee
Groundwater Supply Fee

		Source
Well Capacity, gpm	2,000	
Dwelling Unit Use, gpm	0.237	
Max Day Peak Factor	2.00	
Redundancy Factor	1.15	
Dwelling Units Served	3,700	
<hr/>		
CONSTRUCTION COSTS		
Well Drilling and Development	\$ 281,000	Table B-3
Water Treatment	\$ 900,000	Table B-4
Well Improvements	<u>\$ 765,000</u>	Table B-5
Subtotal Construction Costs	\$ 1,950,000	
 SOFT COSTS		
Environmental / Planning	2.0% \$39,000	
Design	9.0% \$175,500	
Construction Management/Engineering	4.0% <u>\$78,000</u>	
Subtotal Soft Costs	<u>\$293,000</u>	
TOTAL COSTS	<u>\$2,240,000</u>	

Source: City of Manteca.

**Table B-3
City of Manteca
PFIP Water Fee
Groundwater Supply
Opinion of Probable Cost
Well Drilling and Development**

TEST WELL		
Drill and develop		\$40,000
Sampling		\$8,000
Abandonment		<u>\$8,000</u>
Subtotal		\$56,000
Contingency	100%	<u>\$56,000</u>
Subtotal Test Well		\$112,000
PRODUCTION WELL		
Drill Case and Develop		\$145,000
Sampling		<u>\$2,000</u>
Subtotal		\$147,000
Contingency	15%	<u>\$22,050</u>
Subtotal Production Well		<u>\$169,050</u>
TOTAL WELL DRILLING AND DEVELOPMENT COST		<u>\$281,000</u>

Source: City of Manteca.

Table B-4
City of Manteca
PFIP Water Fee
Groundwater Supply
Opinion of Probable Cost
Well Improvements

Earthwork		\$23,200
Paving		\$34,800
Fencing		\$11,800
Precast Vaults		\$18,750
Pump Pedestal		\$3,300
Reinforcing Steel		\$8,600
Well Building		\$26,700
CMU		\$33,000
Metal Fabrications		\$5,700
Carpentry		\$24,800
Roof		\$7,500
Flashing & Painting		\$4,000
Skylight		\$4,000
Doors & Hardware		\$6,200
Coating and Painting		\$17,700
Building Specialties		\$4,300
Louvers		\$3,900
Ventilation		\$3,700
Main Switchboard		\$288,300
Main Switchboard Inst.		\$10,000
Underground Rough-in		\$22,000
Under Slab Rough-in		\$9,000
Conduit & Fitting		\$32,000
Wire & Cables		\$15,000
Engine Generator		\$117,000
Generator Slab		\$8,300
Above Ground Fuel Tank		\$20,500
Subtotal		<u>\$764,050</u>
Contingency	10%	\$76,405
Mobilization	5%	\$38,203
Site Acquisition (5,000 SF)	\$4/SF	<u>\$20,000</u>
TOTAL WELL IMPROVEMENTS COST		<u>\$900,000</u>

Source: City of Manteca.

**Table B-5
 City of Manteca
 PFIP Water Fee
 Groundwater Supply
 Opinion of Probable Cost
 Water Treatment**

Treatment Cost		\$ 870,000
Contingency	15%	\$ 130,500
Total Water Treatment		\$ 1,000,000
TOTAL WATER TREATMENT COST (See (1))	76.5%	\$ 765,000

(1) Based upon current ratio (13/17) of City wells requiring some form of treatment

Source: City of Manteca.

Table B-6
City of Manteca
PFIP Water Fee
Peaking Costs & Summary
1.0 mg Storage Tank and Booster Pump

Peaking Capacity, GPM	5,000
EDU Served at 0.474 gpm, 2.8 PF, 15% Redundancy	3,280
1.0 mg Storage Tank and Booster Pump Cost	\$ 2,751,000

CONSTRUCTION COST

Site Prep. Clearing and Grubbing		\$5,000
Excavation, Shoring, Import and Earthwork		\$50,000
Paving and Site Work		\$200,000
Yard Piping and Appurtenances		\$150,000
Booster Pump and Control Building		\$200,000
Booster Pump Electrical		\$100,000
Standby Generator		\$120,000
SCADA		\$25,000
Tank		\$1,000,000
Subtotal		\$1,850,000
Site Acquisition		\$350,000
2 Acres @ 4\$/SF		
Mobilization	5%	\$92,500
Contingency	10%	\$185,000
Total Construction Cost		\$2,478,000

SOFT COSTS

Environmental/Planning	2%	\$49,560
Design	5%	\$123,900
Construction Management/Engineering	4%	\$99,120
Subtotal Soft Costs		\$273,000

TOTAL TANK AND BOOSTER PUMP **\$2,751,000**

Source: City of Manteca.

Table B-7
City of Manteca
PFIP Water Fee
Distribution System Summary

Item	Length	Reimbursement Rate (\$/LF)	Total Cost
12" pipe - Main Grid	270,000	\$ 58.65	\$15,835,500
16"-18" pipe - Main Grid	30,000	\$ 82.20	\$2,466,000
12" Pipe - interior	150,000	\$ 17.25	\$2,587,500
			\$20,889,000
Sub Total Distribution System			\$20,889,000
Administrative Costs		0.0%	\$0
			\$20,889,000
TOTAL DISTRIBUTION SYSTEM COST			\$20,889,000
Total number of EDUs supported (Total Sewer EDUs)			49,377

Source: City of Manteca.

Table B-8
City of Manteca
PFIP Water Fee
Distribution System Costs

Concept:		LF	Miles
Total Future Pipe to be Installed		450,000	85
Main - one mile grid - for oversizing only, same as internal grid	67%	300,000	57
Interior grid - oversize reimbursement only	33%	150,000	28

Typical Costs to Install 8" Water Main	Amount	Unit Price (\$/unit)	\$
8" PVC Pipe - complete in place	1,000	18	\$ 18,000
Gate Valves	3	1,500	\$ 4,500
Hydrant Assembly	3	3,500	\$ 10,500
Air Release Valves	1	3,000	\$ 3,000
			\$ 36,000
<i>Cost / LF with 5% contingency & 10% soft costs</i>			\$ 41.40

Typical Costs to Install 12" Water Main	Amount	Unit Price (\$/unit)	\$
12" PVC Pipe - complete in place	1,000	30	\$ 30,000
Gate Valves	3	2,500	\$ 7,500
Hydrant Assembly	3	3,500	\$ 10,500
Air Release Valves	1	3,000	\$ 3,000
			\$ 51,000
<i>Cost / LF with 5% contingency & 10% soft costs</i>			\$ 58.65

Typical Costs to Install 16" or 18" Water Main	Amount	Unit Price (\$/unit)	\$
16" PVC Pipe - complete in place	1,000	46	\$ 46,000
Butterfly Valves	3	3,000	\$ 9,000
Hydrant Assembly	3	3,500	\$ 10,500
Air Release Valves	1	3,000	\$ 3,000
			\$ 68,500
<i>Cost / LF with 10% contingency & 10% soft costs</i>			\$ 82.20

SOFT COSTS - Water Line only	10%
Environmental - 2%, Design - 4%, Construction Management - 4%	


Table B-9
City of Manteca
PFIP Water Fee
Financing Assumptions

Description	Amount
Annual Interest Rate	2.00%
Term - Years	30
Payments per year	1
Loan Constant - Annual Debt Service (per \$1,000)	\$44.65
Annual Finance Cost (per \$1,000)	\$11.32

Source: City of Manteca.

Notes: Annual Finance Cost (per \$1,000) = Loan constant at 2% - Loan Constant at 0%

LEGEND

 WATER FEE ZONE 12





PLATE B-1

**CITY OF MANTECA 2013 PUBLIC FACILITIES
IMPLEMENTATION PLAN UPDATE**

WATER FINANCING ZONE



Appendix C
Storm Drainage Data

Table C-1
City of Manteca
PFIP Storm Drainage Collection Fee
Storm Drainage Fee Calculation Summary

Description	Zone 30 Cost Estimate	Zone 32 (31+32) Cost Estimate	Zone 34 (33+34+35) Cost Estimate	Zone 36 Cost Estimate	Zone 39 Cost Estimate	Totals	Source/ Notes
<u>PROJECT CONSTRUCTION COSTS</u>							
Capital Improvements Plan							
Current Projects	-	-	-	-	-	-	
Future Projects	348,984	2,219,860	1,465,928	7,282,301	1,540,000	12,857,074	Table C-4
Total Master Plan CIP (July 2010 \$)	348,984	2,219,860	1,465,928	7,282,301	1,540,000	12,857,074	
Soft Costs (12% of Construction Costs)	41,878	266,383	175,911	873,876	184,800	1,542,849	See Note (4)
Inflation Adjustment to 2012 \$	21,214	134,939	89,109	442,669	93,612	781,543	See Note (1)
Total PFIP CIP	412,076	2,621,182	1,730,949	8,598,847	1,818,412	15,181,465	
% of PFIP CIP	2.7%	17.3%	11.4%	56.6%	12.0%	100.0%	
<u>FINANCING COSTS</u>							
Total PFIP CIP	139,899	889,885	587,653	2,919,288	617,347	5,154,072	See Note (3)
Total Estimated Financing Costs	139,899	889,885	587,653	2,919,288	617,347	5,154,072	
Finance Cost % of CIP	33.9%	33.9%	33.9%	33.9%	33.9%	33.9%	
<u>PFIP ADMINISTRATION COSTS</u>							
Program Updates and On-Going Admin	75,046	477,363	315,236	1,566,002	331,165	2,764,813	See Appendix F
City Administrative Costs - Variable	-	-	-	-	-	-	See Note (5)
Total PFIP Admin Costs	75,046	477,363	315,236	1,566,002	331,165	2,764,813	
<u>FUND BALANCES</u>							
Net Fund Balance (Deficit)	-	(678,937)	(486,480)	(2,236,041)	-	(3,401,458)	June 30, 2012 Balance
Fees From Remaining PFIP Development	-	-	-	-	-	-	
Total Fund Balances	-	(678,937)	(486,480)	(2,236,041)	-	(3,401,458)	
Net Costs Funded From PFIP Fee	627,021	4,667,368	3,120,318	15,320,178	2,766,923	26,501,808	
Total Development Units (Acres x C)	796	490	521	1,050	462	3,320	
Fee Per Development Unit (\$/Acres x C)	\$ 787	\$ 9,521	\$ 5,987	\$ 14,590	\$ 5,990		

Notes:

- (1) CIP costs based on July 2010 ENR (8844) were adjusted to July 2012 ENR (9324).
- (2) Assumes entire cost of current projects funded by 30 year debt service with 2.0% interest.
- (3) Assumes 100% of PFIP CIP costs are financed, see Table C-6 for financing assumptions.
- (4) Contingency estimate of 10% included in construction cost estimates, 12% soft cost estimate from City of Manteca.
- (5) City Administrative Costs - Variable assumed to be 0.0% of PFIP CIP costs.

**Table C-2
City of Manteca
PFIP Storm Drainage Collection Fee
Fee Summary**

Land Use	Units	Fee Per Acre						Fee Per Unit						
		C per Gross Acre	Zone 30	Zone 32 (31+32)	Zone 34 (33+34+35)	Zone 36	Zone 39	Units Per Acre	Zone 30	Zone 32 (31+32)	Zone 34 (33+34+35)	Zone 36	Zone 39	
	(Acres x C)		\$ 787	\$ 9,521	\$ 5,987	\$ 14,590	\$ 5,990							
VLDR	Acre	0.30						Dwelling Unit	2.00	\$ 118	\$ 1,428	\$ 898	\$ 2,188	\$ 899
LDR	Acre	0.30						Dwelling Unit	5.00	\$ 47	\$ 571	\$ 359	\$ 875	\$ 359
MDR	Acre	0.50	\$ 394	\$ 4,760	\$ 2,994	\$ 7,295	\$ 2,995	Dwelling Unit						
HDR	Acre	0.65	\$ 512	\$ 6,189	\$ 3,892	\$ 9,483	\$ 3,894	Dwelling Unit						
OS	Acre	-	\$ -	\$ -	\$ -	\$ -	\$ -	Acre						
P	Acre	-	\$ -	\$ -	\$ -	\$ -	\$ -	Acre						
PQP	Acre	-	\$ -	\$ -	\$ -	\$ -	\$ -	Acre						
AG (LDR)	Acre	0.30						Dwelling Unit	5.00	\$ 47	\$ 571	\$ 359	\$ 875	\$ 359
BP	Acre	0.90	\$ 709	\$ 8,569	\$ 5,389	\$ 13,131	\$ 5,391	Acre						
CMU	Acre	0.90	\$ 709	\$ 8,569	\$ 5,389	\$ 13,131	\$ 5,391	Acre						
GC	Acre	0.90	\$ 709	\$ 8,569	\$ 5,389	\$ 13,131	\$ 5,391	Acre						
NC	Acre	0.90	\$ 709	\$ 8,569	\$ 5,389	\$ 13,131	\$ 5,391	Acre						
HI	Acre	0.70	\$ 551	\$ 6,665	\$ 4,191	\$ 10,213	\$ 4,193	Acre						
LI	Acre	0.70	\$ 551	\$ 6,665	\$ 4,191	\$ 10,213	\$ 4,193	Acre						
BIP	Acre	0.70	\$ 551	\$ 6,665	\$ 4,191	\$ 10,213	\$ 4,193	Acre						
UR	Acre	0.30	\$ 236	\$ 2,856	\$ 1,796	\$ 4,377	\$ 1,797	Dwelling Unit						
UR-VLDR	Acre	0.30						Dwelling Unit	2.00	\$ 118	\$ 1,428	\$ 898	\$ 2,188	\$ 899
UR-LDR	Acre	0.30						Dwelling Unit	5.00	\$ 47	\$ 571	\$ 359	\$ 875	\$ 359
UR-MDR	Acre	0.50	\$ 394	\$ 4,760	\$ 2,994	\$ 7,295	\$ 2,995	Dwelling Unit						
UR-P	Acre	-	\$ -	\$ -	\$ -	\$ -	\$ -	Acre						
UR-PQP	Acre	-	\$ -	\$ -	\$ -	\$ -	\$ -	Acre						
UR-AG (LDR)	Acre	0.30						Dwelling Unit	5.00	\$ 47	\$ 571	\$ 359	\$ 875	\$ 359
UR-BIP	Acre	0.70	\$ 551	\$ 6,665	\$ 4,191	\$ 10,213	\$ 4,193	Acre						
UR-CMU	Acre	0.90	\$ 709	\$ 8,569	\$ 5,389	\$ 13,131	\$ 5,391	Acre						
UR-GC	Acre	0.90	\$ 709	\$ 8,569	\$ 5,389	\$ 13,131	\$ 5,391	Acre						
UR-LI	Acre	0.70	\$ 551	\$ 6,665	\$ 4,191	\$ 10,213	\$ 4,193	Acre						

Table C-3
City of Manteca
PFIP Storm Drainage Collection Fee
EDU Calculation

Land Use	EDU Factor Per Acre			EDU Factor Per Unit			
	Units	C per Gross Acre	EDU Factor Per Unit	Units	Units Per Acre	C per Unit	EDU Factor Per Unit
VLDR	Acre	0.3000	1.00	Dwelling Unit	2.00	0.1500	2.50
LDR	Acre	0.3000	1.00	Dwelling Unit	5.00	0.0600	1.00
MDR	Acre	0.5000	1.67	Dwelling Unit	9.00	0.0556	0.93
HDR	Acre	0.6500	2.17	Dwelling Unit	17.00	0.0382	0.64
OS	Acre	0.1000	-	Acre	1.00	0.1000	-
P	Acre	0.1000	-	Acre	1.00	0.1000	-
PQP	Acre	0.1000	-	Acre	1.00	0.1000	-
AG (LDR)	Acre	0.3000	1.00	Dwelling Unit	5.00	0.0600	1.00
BP	Acre	0.9000	3.00	Acre	1.00	0.9000	15.00
CMU	Acre	0.9000	3.00	Acre	1.00	0.9000	15.00
GC	Acre	0.9000	3.00	Acre	1.00	0.9000	15.00
NC	Acre	0.9000	3.00	Acre	1.00	0.9000	15.00
HI	Acre	0.7000	2.33	Acre	1.00	0.7000	11.67
LI	Acre	0.7000	2.33	Acre	1.00	0.7000	11.67
BIP	Acre	0.7000	2.33	Acre	1.00	0.7000	11.67
UR	Acre	0.3000	1.00	Dwelling Unit	5.00	0.0600	1.00
UR-VLDR	Acre	0.3000	1.00	Dwelling Unit	2.00	0.1500	2.50
UR-LDR	Acre	0.3000	1.00	Dwelling Unit	5.00	0.0600	1.00
UR-MDR	Acre	0.5000	1.67	Dwelling Unit	9.00	0.0556	0.93
UR-P	Acre	0.1000	-	Acre	1.00	0.1000	-
UR-PQP	Acre	0.1000	-	Acre	1.00	0.1000	-
UR-AG (LDR)	Acre	0.3000	1.00	Dwelling Unit	5.00	0.0600	1.00
UR-BIP	Acre	0.7000	2.33	Acre	1.00	0.7000	11.67
UR-CMU	Acre	0.9000	3.00	Acre	1.00	0.9000	15.00
UR-GC	Acre	0.9000	3.00	Acre	1.00	0.9000	15.00
UR-LI	Acre	0.7000	2.33	Acre	1.00	0.7000	11.67

Source: City of Manteca.

Table C-4
City of Manteca
PFIP Storm Drainage Collection Fee
Project Cost Summary

Project Number	Project Name	Expected Development (EDUs)								Totals	Source / Notes
		Zone 30	Zone 31	Zone 32	Zone 33	Zone 34	Zone 35	Zone 36	Zone 39		
	Total Development EDUs Developed in Each Zone	13,271.5	3,089.3	5,081.1	2,349.3	2,344.6	3,991.8	17,501.1	7,698.2	55,326.9	Table C-5
FCOC 1	French Camp Road Crossing	13,271.5	3,089.3	5,081.1	2,349.3	2,344.6	3,991.8	17,501.1		47,628.7	
FCOC 2	Roth Road Crossing		3,089.3	5,081.1	2,349.3	2,344.6	3,991.8	17,501.1		34,357.2	
FCOC 3	Union Pacific Railroad Crossing				2,349.3	2,344.6	3,991.8	17,501.1		26,186.8	
FCOC 4	Farm Road Crossing (4'x8' Box Culvert)						3,991.8	17,501.1		21,493.0	
Drain 3A	Connect DR3A to Lat Rga (48" & 2,000')		3,089.3							3,089.3	
Drain 3	Monterey Place Improvement			5,081.1						5,081.1	
Drain 5	Interceptor, Upstream of Golf Course					2,344.6				2,344.6	
South PS	South Drain Pump Station							17,501.1		17,501.1	
Austin PS	Austin Road Pump Station (to Lat Y)							17,501.1		17,501.1	
Force Main	48" Force Main (1,400')							17,501.1		17,501.1	
66" RCP1	Bella Vista to South Pump Station							17,501.1		17,501.1	
Lat Ya	Dual-Use Drain at Woodward (60" RCP)							17,501.1		17,501.1	
66" RCP2	Woodward - Union to Main St							17,501.1		17,501.1	
42" RCP	Lat Tbb to Austin Rd End							17,501.1		17,501.1	
Jux Box	Two Junction Boxes at Woodward-Ya							17,501.1		17,501.1	
Lat X	Connect Woodward to Lateral X							17,501.1		17,501.1	
	<u>Trails of Manteca</u>										
	South Pump Station								7,698.2	7,698.2	

Project Number	Project Name	Percentage Allocation of Manteca Cost Share to Drainage Zones								Totals
		Zone 30	Zone 31	Zone 32	Zone 33	Zone 34	Zone 35	Zone 36	Zone 39	
FCOC 1	French Camp Road Crossing	28%	6%	11%	5%	5%	8%	37%		100%
FCOC 2	Roth Road Crossing	-	9%	15%	7%	7%	12%	51%		100%
FCOC 3	Union Pacific Railroad Crossing	-	-	-	9%	9%	15%	67%		100%
FCOC 4	Farm Road Crossing (4'x8' Box Culvert)	-	-	-	-	-	19%	81%		100%
Drain 3A	Connect DR3A to Lat Rga (48" & 2,000')	-	100%	-	-	-	-	-		100%
Drain 3	Monterey Place Improvement	-	-	100%	-	-	-	-		100%
Drain 5	Interceptor, Upstream of Golf Course	-	-	-	-	100%	-	-		100%
South PS	South Drain Pump Station	-	-	-	-	-	-	100%		100%
Austin PS	Austin Road Pump Station (to Lat Y)	-	-	-	-	-	-	100%		100%
Force Main	48" Force Main (1,400')	-	-	-	-	-	-	100%		100%
66" RCP1	Bella Vista to South Pump Station	-	-	-	-	-	-	100%		100%
Lat Ya	Dual-Use Drain at Woodward (60" RCP)	-	-	-	-	-	-	100%		100%
66" RCP2	Woodward - Union to Main St	-	-	-	-	-	-	100%		100%
42" RCP	Lat Tbb to Austin Rd End	-	-	-	-	-	-	100%		100%
Jux Box	Two Junction Boxes at Woodward-Ya	-	-	-	-	-	-	100%		100%
Lat X	Connect Woodward to Lateral X	-	-	-	-	-	-	100%		100%
	<u>Trails of Manteca</u>									
	South Pump Station	-	-	-	-	-	-	-	100%	100%

Project Number	Project Name	Project Cost	SSJID Share	City of Manteca PFIP Cost	Cost Allocation of Manteca Cost Share to Drainage Zones								Totals		
					Zone 30	Zone 31	Zone 32	Zone 33	Zone 34	Zone 35	Zone 36	Zone 39			
	<u>Crossings</u>														
FCOC 1	French Camp Road Crossing	\$ 1,500,000	\$ 750,000	\$ 750,000	\$ 208,984	\$ 48,646	\$ 80,011	\$ 36,994	\$ 36,919	\$ 62,859	\$ 275,587	\$	\$ 750,000	Future Improve	
FCOC 2	Roth Road Crossing	\$ 1,000,000	\$ 500,000	\$ 500,000		\$ 44,958	\$ 73,945	\$ 34,189	\$ 34,120	\$ 58,093	\$ 254,694	\$	\$ 500,000	Future Improve	
FCOC 3	Union Pacific Railroad Crossing	\$ 850,000	\$ 425,000	\$ 425,000			\$ 38,128	\$ 38,051	\$	\$ 64,786	\$ 284,035	\$	\$ 425,000	Future Improve	
FCOC 4	Farm Road Crossing (4'x8' Box Culvert)	\$ 450,000	\$ 225,000	\$ 225,000						\$ 41,789	\$ 183,211	\$	\$ 225,000	Future Improve	
Drain 3A	Connect DR3A to Lat Rga (48" & 2,000')	\$ 600,000	\$ 300,000	\$ 300,000		\$ 300,000						\$	\$ 300,000	Future Improve	
Drain 3	Monterey Place Improvement	\$ 400,000	\$ -	\$ 400,000		\$ 400,000						\$	\$ 400,000	Future Improve	
Drain 5	Interceptor, Upstream of Golf Course	\$ 700,000	\$ -	\$ 700,000					\$ 700,000			\$	\$ 700,000	Future Improve	
		\$ 5,500,000	\$ 2,200,000	\$ 3,300,000	\$ 208,984	\$ 393,604	\$ 553,956	\$ 109,311	\$ 809,090	\$ 227,527	\$ 997,528	\$ -	\$ 3,300,000		
	<u>Pump Stations - South Levee</u>														
South PS	South Drain Pump Station	\$ 1,250,000	\$ -	\$ 1,250,000							\$ 1,250,000	\$	\$ 1,250,000	South & Levee	
Austin PS	Austin Road Pump Station (to Lat Y)	\$ 500,000	\$ -	\$ 500,000							\$ 500,000	\$	\$ 500,000	South & Levee	
	Total Pump Stations	\$ 1,750,000	\$ -	\$ 1,750,000	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ 1,750,000	\$ -	\$ 1,750,000		
	<u>New Pipes - South & Levee</u>														
Force Main	48" Force Main (1,400')	\$ 408,000	\$ -	\$ 408,000							\$ 408,000	\$	\$ 408,000	Future Improve	
66" RCP1	Bella Vista to South Pump Station	\$ 724,500	\$ -	\$ 724,500							\$ 724,500	\$	\$ 724,500	Future Improve	
Lat Ya	Dual-Use Drain at Woodward (60" RCP)	\$ -	\$ -	\$ -							\$ -	\$	\$ -	Future Improve	
66" RCP2	Woodward - Union to Main St	\$ 1,459,774	\$ -	\$ 1,459,774							\$ 1,459,774	\$	\$ 1,459,774	Future Improve	
42" RCP	Lat Tbb to Austin Rd End	\$ 1,160,000	\$ -	\$ 1,160,000							\$ 1,160,000	\$	\$ 1,160,000	Future Improve	
Jux Box	Two Junction Boxes at Woodward-Ya	\$ 150,000	\$ -	\$ 150,000							\$ 150,000	\$	\$ 150,000	Future Improve	
Lat X	Connect Woodward to Lateral X	\$ 825,000	\$ 412,500	\$ 412,500							\$ 412,500	\$	\$ 412,500	Future Improve	
	Total New Pipes	\$ 4,727,274	\$ 412,500	\$ 4,314,774	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ 4,314,774	\$ -	\$ 4,314,774		
	<u>Monitoring Wells</u>														
Monitor	20 Monitoring Wells (Zone 35 does not tie)	\$ 800,000	\$ -	\$ 800,000	\$ 80,000	\$ 80,000	\$ 120,000	\$ 80,000	\$ 80,000	\$ 160,000	\$ 160,000	\$ 40,000	\$ 800,000	Levee & Monitor	
	<u>Sub-Total</u>	\$ 12,777,274	\$ 2,612,500	\$ 10,164,774	\$ 288,984	\$ 473,604	\$ 673,956	\$ 189,311	\$ 889,090	\$ 387,527	\$ 7,222,301	\$ 40,000	\$ 10,164,774		
	<u>Trails of Manteca</u>														
	South Pump Station	\$ 1,500,000	\$ -	\$ 1,500,000								\$ 1,500,000	\$ 1,500,000	Trails	
	<u>Sub-Total</u>	\$ 1,500,000	\$ -	\$ 1,500,000	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ 1,500,000	\$ 1,500,000		
	<u>North Drainage System</u>														
Phase I	Lateral Rga C to D	\$ 1,012,300	\$ -	\$ 1,012,300		\$ 1,012,300							\$ 1,012,300	North	
	<u>Sub-Total</u>	\$ 1,012,300	\$ -	\$ 1,012,300	\$ -	\$ 1,012,300	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ 1,012,300		
	Oversizing Reimbursement (Note (2))	\$ 180,000	\$ -	\$ 180,000	\$ 60,000	\$ -	\$ 60,000	\$ -	\$ -	\$ -	\$ 60,000	\$ -	\$ 180,000		
	Total	\$ 15,469,574	\$ 2,612,500	\$ 12,857,074	\$ 348,984	\$ 1,485,904	\$ 733,956	\$ 189,311	\$ 889,090	\$ 387,527	\$ 7,282,301	\$ 1,540,000	\$ 12,857,074		

Notes:
(1) For the monitoring wells zone 35 includes costs for zone 37 + 38
(2) Reimbursement for upsizing from 36" to 42" based on 3,000 ft. at \$20 lf.

**Table C-5
City of Manteca
PFIP Storm Drainage Collection Fee
Development Summary**

Land Use	Vacant Land Summary - Acres								Percent of Vacant Land Assumed to Develop								Vacant Land Assumed to Develop (Acres)								Land Developed (Acres) x C									
	Zone 30	Zone 31	Zone 32	Zone 33	Zone 34	Zone 35	Zone 36	Zone 39	Zone 30	Zone 31	Zone 32	Zone 33	Zone 34	Zone 35	Zone 36	Zone 39	Zone 30	Zone 31	Zone 32	Zone 33	Zone 34	Zone 35	Zone 36	Zone 39	C	Zone 30	Zone 31	Zone 32	Zone 33	Zone 34	Zone 35	Zone 36	Zone 39	
AG (LDR)	3,273.27	111.62	-	-	-	-	116.47	191.43	42.5%	42.5%	-	-	-	-	42.5%	42.5%	1,391.14	47.44	-	-	-	-	49.50	81.36	0.3000	417.34	14.23	-	-	-	-	14.85	24.41	
BIP	-	-	-	-	-	-	-	179.98	-	-	-	-	-	-	-	85.0%	-	-	-	-	-	-	-	152.99	0.7000	-	-	-	-	-	-	-	107.09	
BP	-	-	-	-	1.00	-	-	-	-	-	-	85.0%	-	-	-	-	-	-	-	-	0.85	-	-	-	0.9000	-	-	-	-	0.77	-	-	-	
CMU	-	18.22	53.05	0.83	33.70	53.39	46.85	23.41	-	85.0%	85.0%	85.0%	85.0%	85.0%	85.0%	85.0%	-	15.48	45.09	0.71	28.64	45.38	39.82	19.89	0.9000	-	13.93	40.58	0.64	25.78	40.84	35.84	17.91	
GC	-	17.02	23.06	0.89	17.53	38.64	90.71	103.69	-	85.0%	85.0%	85.0%	85.0%	85.0%	85.0%	85.0%	-	14.47	19.60	0.76	14.90	32.85	77.11	88.14	0.9000	-	13.02	17.64	0.68	13.41	29.56	69.40	79.32	
HDR	-	-	39.83	-	20.74	-	45.84	20.85	-	-	85.0%	-	85.0%	-	85.0%	85.0%	-	-	-	33.85	-	17.63	-	38.97	17.72	0.6500	-	-	22.00	-	11.46	-	25.33	11.52
HI	95.53	-	-	72.68	-	26.07	290.72	-	85.0%	-	-	85.0%	85.0%	85.0%	85.0%	-	81.20	-	-	61.78	-	22.16	247.12	-	0.7000	56.84	-	-	43.25	-	15.51	172.98	-	
LDR	443.23	108.87	426.00	21.50	184.09	11.44	1,659.58	546.73	85.0%	85%	85.0%	85.0%	85.0%	85.0%	85.0%	85.0%	376.74	92.54	362.10	18.27	156.48	9.72	1,410.64	464.72	0.3000	113.02	27.76	108.63	5.48	46.94	2.92	423.19	139.42	
LI	225.26	-	137.93	139.40	4.55	239.30	3.94	-	85.0%	-	85.0%	85.0%	85.0%	85.0%	-	-	191.47	-	117.24	118.49	3.87	203.40	3.34	-	0.7000	134.03	-	82.07	82.94	2.71	142.38	2.34	-	
MDR	-	-	8.29	16.44	51.28	-	76.28	66.40	-	-	85.0%	85.0%	85.0%	-	85.0%	85%	-	-	7.05	13.97	43.58	-	64.84	56.44	0.5000	-	-	3.52	6.99	21.79	-	32.42	28.22	
NC	-	-	10.90	1.28	23.29	10.85	9.84	-	-	-	85.0%	85.0%	85.0%	85.0%	-	-	-	-	9.27	1.09	19.80	9.22	8.36	-	0.9000	-	-	8.34	0.98	17.82	8.30	7.53	-	
OS	-	14.81	0.99	-	-	-	-	428.96	-	85.0%	85.0%	85.0%	-	-	-	85%	-	12.59	0.84	-	-	-	-	364.61	-	-	-	-	-	-	-	-	-	-
P	8.20	5.89	26.42	-	14.21	-	40.05	-	85.0%	85.0%	85.0%	-	85.0%	-	85.0%	-	6.97	5.00	22.45	-	12.08	-	34.04	-	-	-	-	-	-	-	-	-	-	-
PQP	43.82	112.52	-	-	0.83	51.60	7.24	-	85.0%	85.0%	-	-	85.0%	85.0%	-	-	37.25	95.64	-	-	0.71	43.86	6.16	-	-	-	-	-	-	-	-	-	-	-
UR	-	340.85	237.68	-	-	-	1,130.58	-	-	20.0%	20.0%	-	-	-	20.0%	-	-	68.17	47.54	-	-	-	226.12	-	0.3000	-	20.45	14.26	-	-	-	67.84	-	
UR-AG (LDR)	851.65	255.34	47.57	-	-	-	459.19	-	20.0%	20.0%	20.0%	-	-	-	20.0%	-	170.33	51.07	9.51	-	-	-	91.84	-	0.3000	51.10	15.32	2.85	-	-	-	27.55	-	
UR-BIP	-	-	-	-	-	-	338.70	70.00	-	-	-	-	-	-	20.0%	20%	-	-	-	-	-	-	67.74	14.00	0.7000	-	-	-	-	-	-	47.42	9.80	
UR-CMU	-	43.06	-	-	-	-	273.28	98.81	-	20.0%	-	-	-	-	20.0%	20%	-	-	8.61	-	-	-	54.66	19.76	0.9000	-	7.75	-	-	-	-	49.19	17.79	
UR-GC	-	40.43	-	-	-	-	-	-	-	20.0%	-	-	-	-	-	-	-	-	8.09	-	-	-	-	-	0.9000	-	7.28	-	-	-	-	-	-	
UR-LDR	-	675.66	78.71	-	-	-	481.46	145.52	-	20.0%	20.0%	-	-	-	20.0%	20%	-	-	135.13	15.74	-	-	96.29	29.10	0.3000	-	40.54	4.72	-	-	-	28.89	8.73	
UR-LI	114.45	-	-	-	-	-	-	-	20.0%	-	-	-	-	-	-	-	22.89	-	-	-	-	-	-	-	0.7000	16.02	-	-	-	-	-	-	-	
UR-MDR	-	19.74	-	-	-	-	-	-	-	20.0%	-	-	-	-	-	-	-	-	3.95	-	-	-	-	-	0.5000	-	1.97	-	-	-	-	-	-	
UR-P	-	33.54	4.01	-	-	-	29.96	-	-	20.0%	20.0%	-	-	-	20.0%	-	-	-	6.71	0.80	-	-	5.99	-	-	-	-	-	-	-	-	-	-	-
UR-PQP	-	11.65	-	-	-	-	-	-	-	20.0%	-	-	-	-	-	-	-	-	2.33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UR-VLDR	-	352.59	-	-	-	-	99.22	294.82	-	20.0%	-	-	-	-	20.0%	20%	-	-	70.52	-	-	-	19.84	58.96	0.3000	-	21.16	-	-	-	-	5.95	17.69	
VLDR	105.79	25.82	3.14	-	-	-	524.76	-	25.0%	25.0%	25.0%	-	-	-	25.0%	-	26.45	6.46	0.78	-	-	-	131.19	-	0.3000	7.93	1.94	0.24	-	-	-	39.36	-	
Total	5,161.19	2,187.64	1,097.59	253.03	351.22	431.28	5,724.68	2,170.61									2,304.44	644.19	691.88	215.07	298.54	366.59	2,673.57	1,367.71		796.29	185.36	304.87	140.96	140.67	239.51	1,050.07	461.89	
																										24%	6%	9%	4%	4%	7%	32%	14%	

Table C-6
City of Manteca
PFIP Storm Drainage Collection Fee
Financing Assumptions

Description	Amount
Annual Interest Rate	2.00%
Term - Years	30
Payments per year	1
Loan Constant - Annual Debt Service (per \$1,000)	\$44.65
Annual Finance Cost (per \$1,000)	\$11.32

Source: City of Manteca.

Notes: Annual Finance Cost (per \$1,000) = Loan constant at 2% - Loan Constant at 0%

LEGEND

- STORM DRAINAGE FEE ZONE 30
- STORM DRAINAGE FEE ZONE 32
- STORM DRAINAGE FEE ZONE 34
- STORM DRAINAGE FEE ZONE 36
- STORM DRAINAGE FEE ZONE 39





PLATE C-1

**CITY OF MANTECA 2013 PUBLIC FACILITIES
IMPLEMENTATION PLAN UPDATE**

**STORM DRAINAGE
FINANCING ZONES**



Appendix D
Sewer Collection Data

**Table D-1
City of Manteca
PFIP Sewer Collection Fee
Sewer Fee Calculation Summary**

Description	Zone 21 Cost Estimate	Zone 22 Cost Estimate	Zone 24 Cost Estimate	Zone 25 Cost Estimate	Zone 26 Cost Estimate	Totals	Source/ Notes
PROJECT CONSTRUCTION COSTS							
Capital Improvements Plan							
Current Projects	-	-	-	-	-	-	
Future Projects	2,085,337	17,048,343	25,602,950	2,643,490	1,606,560	48,986,680	See Table D-2 for details
Total Master Plan CIP (July 2010 \$)	2,085,337	17,048,343	25,602,950	2,643,490	1,606,560	48,986,680	
Soft Costs	166,827	1,472,067	2,257,796	258,879	160,365	4,315,934	See Table D-2 for details
Inflation Adjustment to 2012 \$	122,234	1,005,178	1,512,116	157,523	95,898	2,892,951	See Note (9)
Total PFIP CIP	2,374,398	19,525,589	29,372,862	3,059,893	1,862,823	56,195,565	
% of PFIP CIP	4.2%	34.7%	52.3%	5.4%	3.3%	100.0%	
FINANCING COSTS COSTS							
Total PFIP CIP							
Total Estimated Financing Costs	707,967	5,787,873	8,692,142	897,459	545,423	16,630,864	See Note (2)
Finance Cost % of CIP	33.9%	33.9%	33.9%	33.9%	33.9%		
PFIP ADMINISTRATION COSTS							
Program Updates and On-Going Admin	141,015	1,159,619	1,744,445	181,726	110,632	3,337,438	See Note (6)
City Administrative Costs - Variable	-	-	-	-	-	-	See Note (5)
Total PFIP Admin Costs	141,015	1,159,619	1,744,445	181,726	110,632	3,337,438	
FUND BALANCES							
Net Fund Balance (Deficit)	48,081	(1,832,534)	(3,758,396)	(8,920)	-	(5,551,769)	Updated 6/30/2012 Balance
Fees From Remaining PFIP Development	-	-	-	-	-	-	
Total Fund Balances	48,081	(1,832,534)	(3,758,396)	(8,920)	-	(5,551,769)	
Net Costs Funded From PFIP Fee	3,175,299	28,305,614	43,567,846	4,147,997	2,518,879	81,715,635	
Capacity Provided (GPD)	698,810	2,092,410	3,969,703	873,716	265,667	7,900,305	
Fee Per Gallon	\$ 4.54	\$ 13.53	\$ 10.98	\$ 4.75	\$ 9.48		
Oversizing Offset (Per Gallon)	\$ (2.81)	\$ (2.81)	\$ (2.81)	\$ (2.81)	\$ (2.81)		See Note (7)
Net Sewer Fee Per Gallon After Offset	\$ 1.73	\$ 10.72	\$ 8.16	\$ 1.94	\$ 6.67		
Capacity Provided (EDUs = DU Basis)	4,368	13,078	24,811	5,461	1,660	49,377	
Fee EDU (Units)	\$ 727	\$ 2,164	\$ 1,756	\$ 760	\$ 1,517		
Oversizing Offset (Per EDU)	\$ (450)	\$ (450)	\$ (450)	\$ (450)	\$ (450)		See Note (8)
Net Sewer Fee Per EDU After Offset	\$ 277	\$ 1,714	\$ 1,306	\$ 310	\$ 1,067		

Notes:

- (1) Woodward Park project completed and reflected in beginning fund balances.
- (2) Assumes entire cost of current projects funded by 30 year debt service with 2.0% interest, see Table D-5 for calculation details.
- (3) Assumes 100% of PFIP CIP costs are financed, see Table D-6 for financing assumptions.
- (4) Contingency estimate of 10% built into the construction costs, soft costs detailed in Table D-2.
- (5) City Administrative Costs - Variable assumed to be 0.0% of PFIP CIP costs.
- (6) For details of Program Updates and On-Going Admin see Appendix F.
- (7) 50% of oversizing charge offset Sewer Fee (\$900 * 50%) / 160 gpd = \$2.81 offset per gallon
- (8) 50% of oversizing charge offset Sewer Fee (\$900 * 50%) = \$450 offset per EDU
- (9) CIP costs based on July 2010 ENR (8844) were adjusted to July 2012 ENR (9324).

**Table D-1.1
City of Manteca
PFIP Sewer Collection Fee
EDU Factors**

Land Use	Units	GPD (per acre)	Fee Per Acre					Units	Units Per Acre	Fee Per Unit				
			Zone 21	Zone 22	Zone 24	Zone 25	Zone 26			Zone 21	Zone 22	Zone 24	Zone 25	Zone 26
Fee Per Gallon:			\$ 1.73	\$ 10.72	\$ 8.16	\$ 1.94	\$ 6.67							
AG	Acre	-	-	-	-	-	-	Acre	-	-	-	-	-	-
BIP	Acre	1,200	2,078	12,858	9,795	2,322	8,003	Acre	1.00	2,078	12,858	9,795	2,322	8,003
CMU	Acre	2,473	4,282	26,499	20,186	4,785	16,492	Acre	1.00	4,282	26,499	20,186	4,785	16,492
GC	Acre	750	1,299	8,036	6,122	1,451	5,002	Acre	1.00	1,299	8,036	6,122	1,451	5,002
HDR	Acre	2,337	4,046	25,042	19,076	4,522	15,585	Dwelling Unit	19.97	203	1,254	955	226	780
HI	Acre	1,000	1,731	10,715	8,163	1,935	6,669	Acre	1.00	1,731	10,715	8,163	1,935	6,669
LDR	Acre	808	1,399	8,658	6,595	1,564	5,388	Dwelling Unit	5.05	277	1,714	1,306	310	1,067
LI	Acre	1,000	1,731	10,715	8,163	1,935	6,669	Acre	1.00	1,731	10,715	8,163	1,935	6,669
MDR	Acre	1,346	2,330	14,423	10,987	2,605	8,976	Dwelling Unit	11.50	203	1,254	955	226	780
NC	Acre	1,120	1,939	12,001	9,142	2,167	7,469	Acre	1.00	1,939	12,001	9,142	2,167	7,469
OS	Acre	-	-	-	-	-	-	Acre	1.00	-	-	-	-	-
P	Acre	400	693	4,286	3,265	774	2,668	Acre	1.00	693	4,286	3,265	774	2,668
PQP	Acre	425	736	4,554	3,469	822	2,834	Acre	1.00	736	4,554	3,469	822	2,834
UR	Acre	320	554	3,429	2,612	619	2,134	Acre	1.00	554	3,429	2,612	619	2,134
UR-AG	Acre	-	-	-	-	-	-	Acre	-	-	-	-	-	-
UR-BIP	Acre	1,200	2,078	12,858	9,795	2,322	8,003	Acre	1.00	2,078	12,858	9,795	2,322	8,003
UR-CMU	Acre	2,473	4,282	26,499	20,186	4,785	16,492	Acre	1.00	4,282	26,499	20,186	4,785	16,492
UR-GC	Acre	750	1,299	8,036	6,122	1,451	5,002	Acre	1.00	1,299	8,036	6,122	1,451	5,002
UR-LDR	Acre	808	1,399	8,658	6,595	1,564	5,388	Dwelling Unit	5.05	277	1,714	1,306	310	1,067
UR-LI	Acre	600	1,039	6,429	4,898	1,161	4,001	Acre	1.00	1,039	6,429	4,898	1,161	4,001
UR-MDR	Acre	1,346	2,330	14,423	10,987	2,605	8,976	Dwelling Unit	11.50	203	1,254	955	226	780
UR-P	Acre	400	693	4,286	3,265	774	2,668	Acre	1.00	693	4,286	3,265	774	2,668
UR-PQP	Acre	425	736	4,554	3,469	822	2,834	Acre	1.00	736	4,554	3,469	822	2,834
UR-VLDR	Acre	320	554	3,429	2,612	619	2,134	Dwelling Unit	2.00	277	1,714	1,306	310	1,067
VLDR	Acre	320	554	3,429	2,612	619	2,134	Dwelling Unit	2.00	277	1,714	1,306	310	1,067

Table D-1.2
City of Manteca
PFIP Sewer Collection Fee
EDU Factors

Land Use	Units	Wastewater Generation		Units	Units Per Acre	Wastewater Generation	
		Factor (WGF) (gpd/acre) (a)	EDU Factor (per acre)			Factor (WGF) Per Unit	EDU Factor (per unit)
AG	Acre	-	-	Acre		0	-
BIP	Acre	1,200	1.49	Acre	1.00	1,200	7.50
CMU	Acre	2,473	3.06	Acre	1.00	2,473	15.46
GC	Acre	750	0.93	Acre	1.00	750	4.69
HDR	Acre	2,337	2.89	Dwelling Unit	19.97	117	0.73
HI	Acre	1,000	1.24	Acre	1.00	1,000	6.25
LDR	Acre	808	1.00	Dwelling Unit	5.05	160	1.00
LI	Acre	1,000	1.24	Acre	1.00	1,000	6.25
MDR	Acre	1,346	1.67	Dwelling Unit	11.50	117	0.73
NC	Acre	1,120	1.39	Acre	1.00	1,120	7.00
OS	Acre	-	-	Acre	1.00	0	-
P	Acre	400	0.50	Acre	1.00	400	2.50
PQP	Acre	425	0.53	Acre	1.00	425	2.66
UR	Acre	320	0.40	Acre	1.00	320	2.00
UR-AG	Acre	-	-	Acre		0	-
UR-BIP	Acre	1,200	1.49	Acre	1.00	1,200	7.50
UR-CMU	Acre	2,473	3.06	Acre	1.00	2,473	15.46
UR-GC	Acre	750	0.93	Acre	1.00	750	4.69
UR-LDR	Acre	808	1.00	Dwelling Unit	5.05	160	1.00
UR-LI	Acre	600	0.74	Acre	1.00	600	3.75
UR-MDR	Acre	1,346	1.67	Dwelling Unit	11.50	117	0.73
UR-P	Acre	400	0.50	Acre	1.00	400	2.50
UR-PQP	Acre	425	0.53	Acre	1.00	425	2.66
UR-VLDR	Acre	320	0.40	Dwelling Unit	2.00	160	1.00
VLDR	Acre	320	0.40	Dwelling Unit	2.00	160	1.00

Notes:

(a) per 2012 Wastewater Collection System Master Plan

Table D-1.3
City of Manteca
PFIP Sewer Collection Fee
New Development - Total EDUs Developed

Sewer Zone	Land Use	Undeveloped Acres (a)	Percentage Developed	Expected Developed Acres (a)	Units	GPD (per acre)	Total GPD
ZONE 21 (includes old Zone 23)							
	CMU	127	100%	127	Acre	2,473	313,184
	GC	47	100%	47	Acre	750	35,015
	HDR	35	100%	35	Acre	2,337	81,590
	LDR	162	100%	162	Acre	808	130,976
	LI	43	100%	43	Acre	1,000	42,512
	MDR	56	100%	56	Acre	1,346	75,262
	NC	13	100%	13	Acre	1,120	14,663
	P	9	100%	9	Acre	400	3,443
	VLDR	7	100%	7	Acre	320	2,165
Total Zone 21		497		497.23			698,810
GPD per EDU							
Estimated GPD							
ZONE 22							
	AG	3,385	100%	3,385	Acre	-	-
	CMU	29	100%	29	Acre	2,473	72,440
	GC	19	100%	19	Acre	750	14,071
	HDR	26	100%	26	Acre	2,337	59,982
	HI	175	100%	175	Acre	1,000	175,128
	LDR	1,033	100%	1,033	Acre	808	834,691
	LI	528	100%	528	Acre	1,000	527,842
	MDR	19	100%	19	Acre	1,346	25,705
	NC	22	100%	22	Acre	1,120	25,184
	OS	15	100%	15	Acre	-	-
	P	44	100%	44	Acre	400	17,708
	PQP	157	100%	157	Acre	425	66,800
	UR	579	20%	116	Acre	320	37,026
	UR-AG	1,153	20%	231	Acre	-	-
	UR-CMU	43	20%	9	Acre	2,473	21,296
	UR-GC	40	20%	8	Acre	750	6,065
	UR-LDR	754	20%	151	Acre	808	121,907
	UR-LI	114	20%	23	Acre	600	13,734
	UR-MDR	20	20%	4	Acre	1,346	5,313
	UR-P	38	20%	8	Acre	400	3,005
	UR-PQP	12	20%	2	Acre	425	990
	UR-VLDR	353	20%	71	Acre	320	22,566
	VLDR	128	100%	128	Acre	320	40,956
Total Zone 22		8,686		6,202.42			2,092,410
GPD per EDU				2484.0421			
Estimated GPD				-0.2860			
ZONE 24							
	AG	111	100%	111	Acre	-	-
	BIP	45	100%	45	Acre	1,200	53,592
	CMU	163	100%	163	Acre	2,473	402,487
	GC	320	100%	320	Acre	750	240,082
	HDR	68	100%	68	Acre	2,337	159,555
	HI	564	100%	564	Acre	1,000	563,792
	LDR	1,934	100%	1,934	Acre	808	1,562,720
	LI	180	100%	180	Acre	1,000	180,021
	MDR	114	100%	114	Acre	1,346	152,874
	NC	21	100%	21	Acre	1,120	22,988
	P	108	100%	108	Acre	400	43,341
	PQP	85	100%	85	Acre	425	36,143
	UR	1,131	20%	226	Acre	320	72,355
	UR-AG	459	20%	92	Acre	-	-
	UR-BIP	339	20%	68	Acre	1,200	81,288
	UR-CMU	294	20%	59	Acre	2,473	145,295
	UR-LDR	481	20%	96	Acre	808	77,804
	UR-P	30	20%	6	Acre	400	2,397
	UR-VLDR	79	20%	16	Acre	320	5,039
	VLDR	525	100%	525	Acre	320	167,930
Total Zone 24		7,050		4,800			3,969,703
GPD per EDU				2249.8935			
Estimated GPD				-0.3191			
ZONE 25							
	AG	191	100%	191	Acre	-	-
	BIP	135	100%	135	Acre	1,200	162,389
	GC	79	100%	79	Acre	750	58,923
	HDR	19	100%	19	Acre	2,337	43,753
	LDR	546	100%	546	Acre	808	440,998
	MDR	49	100%	49	Acre	1,346	65,921
	OS	429	100%	429	Acre	-	-
	UR-BIP	70	20%	14	Acre	1,200	16,801
	UR-CMU	99	20%	20	Acre	2,473	48,871
	UR-LDR	146	20%	29	Acre	808	23,516
	UR-VLDR	196	20%	39	Acre	320	12,542
Total Zone 25		1,958		1,550			873,716
GPD per EDU							
Estimated GPD							
ZONE 26							
	GC	58	100%	58	Acre	750	43,410
	LDR	275	100%	275	Acre	808	222,257
Total Zone 26		333		333			265,667
GPD per EDU							
Estimated GPD							
TOTAL	TOTAL	18,525		13,382			7,900,305
GPD per EDU							
Estimated GPD							

Notes:

(a) Source: Per City GIS analysis

**Table D-2
City of Manteca
PFIP Sewer Collection Fee
Sewer Capital Improvements Program**

Project Description	Total Project Cost	Existing Development Share	Zone 21 Cost Estimate	Zone 22 Cost Estimate	Zone 24 Cost Estimate	Zone 25 Cost Estimate	Zone 26 Cost Estimate	Total PFF Share	Totals
Forced Pipelines									
Force Main OSFM	276,000						276,000	276,000	276,000
Force Main 27N	263,000				263,000			263,000	263,000
Force Main 27S	165,000				165,000			165,000	165,000
Force Main 28	292,000				292,000			292,000	292,000
Force Main 36	1,565,000				1,565,000			1,565,000	1,565,000
Force Main FMN-01	336,000			336,000				336,000	336,000
Subtotal Forced Pipelines Construction	2,897,000	-	-	336,000	2,285,000	-	276,000	2,897,000	2,897,000
Soft Costs (8.0%)	231,760	-	-	26,880	182,800	-	22,080	231,760	231,760
Total Forced Pipelines	3,128,760	-	-	362,880	2,467,800	-	298,080	3,128,760	3,128,760
Gravity Pipelines									
Link 1	1,135,000				964,750	124,850	45,400	1,135,000	1,135,000
Link 100	539,000	485,100	53,900					53,900	539,000
Link 10S	1,359,000				1,359,000			1,359,000	1,359,000
Link 14A	63,000				63,000			63,000	63,000
Link 2	770,000				654,500	84,700	30,800	770,000	770,000
Link 22S1	2,011,000				2,011,000			2,011,000	2,011,000
Link 22	3,633,000				3,633,000			3,633,000	3,633,000
Link 22S2	1,016,000				1,016,000			1,016,000	1,016,000
Link 22S	800,000				800,000			800,000	800,000
Link 25	736,000				736,000			736,000	736,000
Link 3	1,471,000				1,250,350	161,810	58,840	1,471,000	1,471,000
Link 33	924,000					674,520	249,480	924,000	924,000
Link 4	764,000				649,400	84,040	30,560	764,000	764,000
Link 5	2,987,000				2,538,950	328,570	119,480	2,987,000	2,987,000
Link 51	1,038,000	508,620	301,747	227,633				529,380	1,038,000
Link 52	749,000	374,500	213,465	161,035				374,500	749,000
Link 53	1,227,000	613,500	349,695	263,805				613,500	1,227,000
Link 54	1,353,000			1,353,000				1,353,000	1,353,000
Link 56	58,000			58,000				58,000	58,000
Link 66S2	838,000			838,000				838,000	838,000
Link 66S3	833,000			833,000				833,000	833,000
Link 66S4	129,000			129,000				129,000	129,000
Link 69S1	1,647,000			1,647,000				1,647,000	1,647,000
Link 69S2	362,000			362,000				362,000	362,000
Link 71	142,000			142,000				142,000	142,000
Link 72	363,000			363,000				363,000	363,000
Link 72A	1,774,000			1,774,000				1,774,000	1,774,000
Link 73	720,000			720,000				720,000	720,000
Link 73B	147,000			147,000				147,000	147,000
Link 74	289,000			289,000				289,000	289,000
Link 75	552,000			552,000				552,000	552,000
Link 76	418,000			418,000				418,000	418,000
Link 77	410,000			410,000				410,000	410,000
Link 79	1,231,000			1,231,000				1,231,000	1,231,000
Link 80	392,000	-	-	392,000				392,000	392,000
Link 81	1,220,000			1,220,000				1,220,000	1,220,000
Link 8S	1,346,000				1,346,000			1,346,000	1,346,000
Link 90	1,464,000	732,000	417,240	314,760	-	-		732,000	1,464,000
Link 91	754,000	377,000	214,890	162,110				377,000	754,000
Link 92	620,000	545,600	74,400					74,400	620,000
Link 93	319,000	280,720	38,280					38,280	319,000
Link 93SI	304,000	97,280	206,720					206,720	304,000
Link 94	319,000	287,100	31,900					31,900	319,000
Link 95	309,000	278,100	30,900					30,900	309,000
Link 96	441,000	396,900	44,100					44,100	441,000
Link 97	341,000	306,900	34,100					34,100	341,000
Link 98	371,000	333,900	37,100					37,100	371,000
Link 99	369,000	332,100	36,900					36,900	369,000
Link 9S	1,057,000				1,057,000			1,057,000	1,057,000
Subtotal Gravity Pipelines	42,114,000	5,949,320	2,085,337	14,007,343	18,078,950	1,458,490	534,560	36,164,680	42,114,000
Soft Costs (8.0%)	3,369,120	475,946	166,827	1,120,587	1,446,316	116,679	42,765	2,893,174	3,369,120
Total Gravity Pipelines	45,483,120	6,425,266	2,252,164	15,127,930	19,525,266	1,575,169	577,325	39,057,854	45,483,120
Pump/Lift Stations									
South Main Lift Station	1,145,000				1,145,000			1,145,000	1,145,000
South Union Lift Station	780,000				780,000			780,000	780,000
SR-99 Lift Station	1,145,000			1,145,000				1,145,000	1,145,000
Trails of Manteca Lift Station	1,145,000					1,145,000		1,145,000	1,145,000
Yosemite Square Pump Station	1,145,000				1,145,000			1,145,000	1,145,000
Austin Business Pump Station	1,145,000				1,145,000			1,145,000	1,145,000
Chadwick Pump Station	780,000			780,000				780,000	780,000
Tara Park, Stage 1 Updgrade	100,000				72,000	20,000	8,000	100,000	100,000
Tara Park, Stage 2 Updgrade	100,000				72,000	20,000	8,000	100,000	100,000
Woodward Park, Stage 1 Updgrade	100,000				100,000			100,000	100,000
Louise Avenue Lift Station	780,000			780,000				780,000	780,000
Oakwood Shores Pump Station	780,000						780,000	780,000	780,000
South Airport Lift Station	780,000				780,000			780,000	780,000
Subtotal Pump/Lift Stations	9,925,000	-	-	2,705,000	5,239,000	1,185,000	796,000	9,925,000	9,925,000
Soft Costs (12.0%)	1,191,000	-	-	324,600	628,680	142,200	95,520	1,191,000	1,191,000
Total Pump/Lift Stations	11,116,000	-	-	3,029,600	5,867,680	1,327,200	891,520	11,116,000	11,116,000
Reclaimed Water									
Subtotal Reclaimed Water	-	-	-	-	-	-	-	-	-
Subtotal - Construction Costs	54,936,000	5,949,320	2,085,337	17,048,343	25,602,950	2,643,490	1,606,560	48,986,680	54,936,000
Subtotal - Soft Costs	4,791,880	475,946	166,827	1,472,067	2,257,796	258,879	160,365	4,315,934	4,791,880
Total Costs	59,727,880	6,425,266	2,252,164	18,520,410	27,860,746	2,902,369	1,766,925	53,302,614	59,727,880

**Table D-4
City of Manteca
PFIP Sewer Collection Fee
Undeveloped Acreage - Sewer Zones**

SEWER ZONE	LAND USE	UNDEVELOPED ACRES
ZONE 21	BP	1.0000
	CMU	76.1844
	GC	36.6312
	HDR	34.9124
	LDR	155.2875
	LI	7.9108
	MDR	55.9150
	NC	13.0917
	P	8.6079
VLDR	6.7650	
ZONE 22	AG	3385.3007
	CMU	29.2923
	GC	18.7611
	HDR	25.6662
	HI	175.1279
	LDR	1033.0335
	LI	527.8424
	MDR	19.0973
	NC	22.4860
	OS	15.3685
	P	44.2700
	PQP	157.1758
	UR	578.5375
	UR-AG	1152.6551
	UR-CMU	43.0578
	UR-GC	40.4348
	UR-LDR	754.3747
	UR-LI	114.4495
	UR-MDR	19.7362
	UR-P	37.5610
UR-PQP	11.6529	
UR-VLDR	352.5933	
VLDR	127.9861	
ZONE 23	CMU	50.4571
	GC	10.0556
	LDR	6.8119
	LI	34.6008
ZONE 24	AG	111.4787
	BIP	44.6599
	CMU	162.7524
	GC	320.1093
	HDR	68.2732
	HI	563.7922
	LDR	1934.0595
	LI	180.0213
	MDR	113.5767
	NC	20.5254
	P	108.3517
	PQP	85.0424
	UR	1130.5528
	UR-AG	459.1962
	UR-BIP	338.6979
	UR-CMU	293.7625
	UR-LDR	481.4602
	UR-P	29.9604
UR-VLDR	78.7369	
VLDR	524.7825	
ZONE 25	AG	191.4289
	BIP	135.3244
	GC	78.5645
	HDR	18.7220
	LDR	545.7898
	MDR	48.9758
	OS	428.9815
	UR-BIP	70.0028
	UR-CMU	98.8098
	UR-LDR	145.5194
	UR-VLDR	195.9684
	TOTAL	18192.5709

Table D-5
City of Manteca
PFIP Sewer Collection Fee
Financing Assumptions

Description	Amount
Annual Interest Rate	2.00%
Term - Years	30
Payments per year	1
Loan Constant - Annual Debt Service (per \$1,000)	\$44.65
Annual Finance Cost (per \$1,000)	\$11.32

LEGEND

- WASTEWATER COLLECTION FEE ZONE 21
- WASTEWATER COLLECTION FEE ZONE 22
- WASTEWATER COLLECTION FEE ZONE 24
- WASTEWATER COLLECTION FEE ZONE 25
- WASTEWATER COLLECTION FEE ZONE 26





PLATE D-1

**CITY OF MANTECA 2013 PUBLIC FACILITIES
IMPLEMENTATION PLAN UPDATE**

**WASTEWATER COLLECTION
FINANCING ZONES**



Appendix E
Transportation Data
- To be added in future -

Appendix F
City PFIP Administration Costs

Table F-1
City of Manteca
PFIP Sewer Collection Fee
City Administration Costs

	Estimated Costs
Wastewater	
PFIP Updates - 5 Year	112,500
PFIP Updates - Annual	156,250
Master Plan Updates	1,593,750
City Administrative Costs - On Going	1,474,938
Total PFIP Admin Costs	3,337,438
Storm Drainage	
PFIP Updates - 5 Year	112,500
PFIP Updates - Annual	156,250
Master Plan Updates	1,031,250
City Administrative Costs - On Going	1,464,813
Total PFIP Admin Costs	2,764,813
Water	
PFIP Updates - 5 Year	112,500
PFIP Updates - Annual	156,250
Master Plan Updates	1,406,250
City Administrative Costs - On Going	1,494,688
Total PFIP Admin Costs	3,169,688
Transportation	
PFIP Updates - 5 Year	112,500
PFIP Updates - Annual	156,250
Master Plan Updates	1,687,500
City Administrative Costs - On Going	1,517,188
Total PFIP Admin Costs	3,473,438
Totals	
PFIP Updates - 5 Year	450,000
PFIP Updates - Annual	625,000
Master Plan Updates	5,718,750
City Administrative Costs - On Going	5,951,625
Total PFIP Admin Costs	12,745,375

Table F-2
City of Manteca
PFIP On-Going Administration
City Administration Costs

Description	Annual FTEs	FY13 Annual Cost	Years In PFIP	Estimated PFIP Cost
Analyst	1.00	116,875		116,880
Analyst	0.10	101,210		10,120
Deputy Finance	0.20	149,095		29,820
Deputy Director PW	0.10	171,655		17,170
Director CD	0.10	213,400		21,340
Total Annual Personnel Costs	1.50			195,330
Personnel		\$ 195,330	25	\$ 4,883,250
IT Allocation		\$ 22,735	25	\$ 568,375
Annual Audit		\$ 20,000	25	\$ 500,000
Costs To Be Allocated To Each Fee Fund		\$ 990,300		\$ 5,951,625
				\$ 8,750,000
				\$ 2,798,375
FUND ALLOCATIONS - 25 Year Program				
<u>Wastewater</u>				
Personnel			25%	\$ 1,220,813
IT Allocation			23%	\$ 129,125
Annual Audit			25%	\$ 125,000
Total				\$ 1,474,938
<u>Storm Drain</u>				
Personnel			25%	\$ 1,220,813
IT Allocation			21%	\$ 119,000
Annual Audit			25%	\$ 125,000
Total				\$ 1,464,813
<u>Transportation</u>				
Personnel			25%	\$ 1,220,813
IT Allocation			30%	\$ 171,375
Annual Audit			25%	\$ 125,000
Total				\$ 1,517,188
<u>Water</u>				
Personnel			25%	\$ 1,220,813
IT Allocation			26%	\$ 148,875
Annual Audit			25%	\$ 125,000
Total				\$ 1,494,688
<u>Total Fund Allocations</u>				
Personnel			100%	\$ 4,883,250
IT Allocation			100%	\$ 568,375
Annual Audit			100%	\$ 500,000
Total				\$ 5,951,625

Notes:

(1) Source: City of Manteca.

(2) Cost will be allocated within each fee to each fee zone based on the percentage of CIP costs.

Table F-3
City of Manteca
PFIP Program Update Costs
City Administration Costs

Description	Frequency	Years In PFIP Fee	Updates in PFIP	Cost Per Update	Total Cost in PFIP
PFIP 5 Year Program Update					
PFIP Program Update	Every 5 Years	25	5	\$ 75,000	\$ 375,000
Legal assistance on Program Update	Every 5 Years	25	5	\$ 15,000	\$ 75,000
Costs To Be Allocated To Each Facility Category				\$ 90,000	\$ 450,000
PFIP Update Allocated					
Wastewater	25%			\$ 22,500	\$ 112,500
Storm Drain	25%			\$ 22,500	\$ 112,500
Transportation	25%			\$ 22,500	\$ 112,500
Water	25%			\$ 22,500	\$ 112,500
Total PFIP Update Costs				\$ 90,000	\$ 450,000
PFIP Annual Program Review/Update					
Professional Services	Annually	25	25	\$ 25,000	\$ 625,000
Costs To Be Allocated To Each Facility Category				\$ 25,000	\$ 625,000
PFIP Update Allocated					
Wastewater	25%			\$ 6,250	\$ 156,250
Storm Drain	25%			\$ 6,250	\$ 156,250
Transportation	25%			\$ 6,250	\$ 156,250
Water	25%			\$ 6,250	\$ 156,250
Total PFIP Annual Update Costs				\$ 25,000	\$ 625,000
WASTEWATER					
Sewer Master Plan	Every 10 Years	50	5	\$ 225,000	\$ 1,125,000
EIR for Sewer Master Plan	Every 10 Years	50	5	\$ 200,000	\$ 1,000,000
Total Master Plan Updates				\$ 425,000	\$ 2,125,000
New Development Share	75%				\$ 1,593,750
Existing Development Share	25%				\$ 531,250
STORM DRAIN					
Storm Drain Master Plan	Every 10 Years	50	5	\$ 200,000	\$ 1,000,000
EIR for Storm Drain Master Plan	Every 10 Years	50	5	\$ 75,000	\$ 375,000
Total Master Plan Updates				\$ 275,000	\$ 1,375,000
New Development Share	75%				\$ 1,031,250
Existing Development Share	25%				\$ 343,750
WATER					
Water Master Plan	Every 10 Years	50	5	\$ 225,000	\$ 1,125,000
EIR for Water Master Plan	Every 10 Years	50	5	\$ 150,000	\$ 750,000
Total Master Plan Updates				\$ 375,000	\$ 1,875,000
New Development Share	75%				\$ 1,406,250
Existing Development Share	25%				\$ 468,750
TRANSPORTATION					
Transportation Master Plan	Every 10 Years	50	5	\$ 275,000	\$ 1,375,000
EIR for Transportation Master Plan	Every 10 Years	50	5	\$ 175,000	\$ 875,000
Total Maser Plan Updates				\$ 450,000	\$ 2,250,000
New Development Share	75%				\$ 1,687,500
Existing Development Share	25%				\$ 562,500
Sub-Total Master Plans				\$ 1,525,000	\$ 7,625,000
New Development Share					\$ 5,718,750
Existing Development Share					\$ 1,906,250
Grand Total				\$ 1,640,000	\$ 8,700,000
New Development Share					\$ 6,793,750
Existing Development Share					\$ 1,906,250

Notes:

- (1) Source: City of Manteca.
- (2) In the future, it is anticipated that all master plans will require EIR's.
- (3) Cost will be allocated to each fee zone based on the percentage of CIP costs.

Appendix G
Master Reimbursement List
- To be added in future -